```
RRRRRRRRRRRR       UUU           UUU  NNN        NNN    000000000    FFFFFFFFFFFFFFFF    FFFFFFFFFFFFFFFF
RRRRRRRRRRRR       UUU           UUU  NNN        NNN    000000000    FFFFFFFFFFFFFFFF    FFFFFFFFFFFFFFFF
RRRRRRRRRRRR       UUU           UUU  NNN        NNN    000000000    FFFFFFFFFFFFFFFF    FFFFFFFFFFFFFFFF
RRR      RRR       UUU           UUU  NNN        NNN   000      000   FFF                 FFF
RRR      RRR       UUU           UUU  NNN        NNN   000      000   FFF                 FFF
RRR      RRR       UUU           UUU  NNN        NNN   000      000   FFF                 FFF
RRR      RRR       UUU           UUU  NNNNNN     NNN   000      000   FFF                 FFF
RRR      RRR       UUU           UUU  NNNNNN     NNN   000      000   FFF                 FFF
RRRRRRRRRRRR       UUU           UUU  NNN  NNN   NNN   000      000   FFFFFFFFFFFF        FFFFFFFFFFFF
RRRRRRRRRRRR       UUU           UUU  NNN  NNN   NNN   000      000   FFFFFFFFFFFF        FFFFFFFFFFFF
RRRRRRRRRRRR       UUU           UUU  NNN  NNN   NNN   000      000   FFFFFFFFFFFF        FFFFFFFFFFFF
RRR   RRR          UUU           UUU  NNN    NNNNN     000      000   FFF                 FFF
RRR    RRR         UUU           UUU  NNN    NNNNN     000      000   FFF                 FFF
RRR     RRR        UUU           UUU  NNN       NNN    000      000   FFF                 FFF
RRR      RRR       UUU           UUU  NNN        NNN   000      000   FFF                 FFF
RRR      RRR       UUU           UUU  NNN        NNN   000      000   FFF                 FFF
RRR      RRR       UUUUUUUUUUUUUUUUU  NNN        NNN    000000000     FFF                 FFF
RRR      RRR       UUUUUUUUUUUUUUUUU  NNN        NNN    000000000     FFF                 FFF
RRR      RRR       UUUUUUUUUUUUUUUUU  NNN        NNN    000000000     FFF                 FFF
```

```
RRRRRRR     UU      UU  NN      NN  TTTTTTTTTT    AAAAAA    BBBBBBBB
RRRRRRR     UU      UU  NN      NN  TTTTTTTTTT    AAAAAA    BBBBBBBB
RR     RR   UU      UU  NN      NN      TT      AA      AA  BB      BB
RR     RR   UU      UU  NN      NN      TT      AA      AA  BB      BB
RR     RR   UU      UU  NNNN    NN      TT      AA      AA  BB      BB
RR     RR   UU      UU  NNNN    NN      TT      AA      AA  BB      BB
RRRRRRR     UU      UU  NN  NN  NN      TT      AA      AA  BBBBBBBB
RRRRRRR     UU      UU  NN  NN  NN      TT      AA      AA  BBBBBBBB
RR  RR      UU      UU  NN    NNNN      TT    AAAAAAAAAA    BB      BB
RR  RR      UU      UU  NN    NNNN      TT    AAAAAAAAAA    BB      BB
RR   RR     UU      UU  NN      NN      TT    AA      AA    BB      BB    ....
RR   RR     UU      UU  NN      NN      TT    AA      AA    BB      BB    ....
RR    RR    UUUUUUUUUU  NN      NN      TT    AA      AA    BBBBBBBB      ....
RR    RR    UUUUUUUUUU  NN      NN      TT    AA      AA    BBBBBBBB      ....


RRRRRRR     EEEEEEEEEE   QQQQQQ
RRRRRRR     EEEEEEEEEE   QQQQQQ
RR     RR   EE          QQ      QQ
RR     RR   EE          QQ      QQ
RR     RR   EE          QQ      QQ
RR     RR   EE          QQ      QQ
RRRRRRR     EEEEEEEE     QQ      QQ
RRRRRRR     EEEEEEEE     QQ      QQ
RR  RR      EE          QQ  QQ  QQ
RR  RR      EE          QQ  QQ  QQ
RR   RR     EE          QQ    QQ
RR   RR     EE          QQ    QQ
RR    RR    EEEEEEEEEE   QQQQ  QQ
RR    RR    EEEEEEEEEE   QQQQ  QQ
```

D 16

! RUNTAB.REQ - This file contains the binary search paths for command processing

! Version: 'V04-000'

! ***
! *   *
! * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY   *
! * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.   *
! * ALL RIGHTS RESERVED.   *
! *   *
! * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
! * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
! * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
! * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
! * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
! * TRANSFERRED.   *
! *   *
! * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
! * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
! * CORPORATION.   *
! *   *
! * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
! * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.   *
! *   *
! ***

!++
! FACILITY: DSR (Digital Standard RUNOFF) / DSRPLUS

! ABSTRACT:

!   This file contains directive definition tables. It is required by
!   LP1.BLI only.

! ENVIRONMENT: Transportable BLISS

! AUTHOR: Rich Friday   CREATION DATE: 1978

' MODIFIED BY:

    021   REM00021   Ray Marshall   15-May-1984
            Modified the definition for .DO by changing the fourth parameter
             of the macro call from CAN_TRUNCATE to ABBREVIATION. Since
             .DO can not be truncated to less then 2 characters, is seems
             meaningless to say it can be truncated. But, the major reason
             for this change is to allow recognition of the .DOV directive.

    020   KFA00020   Ken Alden   04-Aug-1983
            Added disable appendix, .PAGE NOW

    019   KFA00019   Ken Alden   03-Aug-1983
            Added directive(DSRPLUS) .enable appendix/chapter,
             .disable chapter.

    018   RER00018   Ron Randall   16-May-1983
            Made .REFERENCEPOINT illegal (again) in footnotes.

    017   KAD00017   Keith Dawson   14-Apr-1983
            Rationalized abbreviations for some DSRPLUS commands, to wit:
             .Begin Topnote   .BT ==> .BTN
             .Do Table   (new) .DT
             .Disable Xplus   (new) .DXP
             .Enable Xplus   (new) .EXP
            Deleted .BPA (.Begin Passthrough), .EPA (.End Passthrough).
            Deleted unneded abbreviation .REQ (truncation suffices).

    016   RER00016   Ron Randall   14-Apr-1983
            Made .REFERENCEPOINT legal in footnotes.

    015   RER00015   Ron Randall   06-Apr-1983
            Made .KEEP and .NO KEEP legal in topnotes and footnotes.

    014   RER00014   Ron Randall   17-Mar-1983
            For DSRPLUS:
            Changed iih to iit to better reflect its topnote meaning.
            Deleted passthrough flag code.
            Added new h_number_footno (nfn) and h_no_number_foo (nnf).

    013   KFA00013   Ken Alden   16-Mar-1983
            SAVE/RESTORE now visible to DSR.
            Changed REFERENCEPOIN to REFERENCEPOINT.

    012   KAD00012   Keith Dawson   07-Mar-1983
            Global edit of all modules. Updated module names, idents,
            copyright dates. Changed require files to BLISS library.
!--

```
!++
```

DEFINITION OF TERMS:

             Most of the names herein described are initialized in LP1.BLI
             as literals.

P_xxx   Directive character string where xxx is the actual sequence of
             characters that make up the directive
H_x_x   Name of the handler which will process this directive.
CONTINUES Indicates that this is not the last word of the directive. To
             find the next word, look for the macro definition L_name_n
             where ''name'' is the xxx from the current line's P_xxx and ''n''
             is the number of the next word number. Example: Take the
             .HEADERS LOWER directive -- while looking at the definition for
             the HEADERS word, we find P_HEADERS and the term CONTINUES.
             The next words will be defined in the macro L_HEADERS_2.
CHAIN_ENDS Indicates this is the last word of the actual directive. (It
             sais nothing about any possible following parameters.)
CAN_TRUNCATE A flag indicating that the directive may be truncated. This
             term will be followed by an integer value that indicates the
             number of characters in the shortest possible valid truncation.
ABBREVIATION A flag indicating that this entry is for the abbreviated
             form of the directive indicated by the H_ term.
RIF   A flag indicating that this directive is related to an IF
             directive. i.e. it will be processed while within the range
             of an IF/ENDIF block.
NOT_RIF   A flag indicating that this directive is NOT related to an IF
             directive. i.e. it will be ignored while within the range
             of an IF/ENDIF block.
IIF   A flag indicating that this directive is ILLEGAL within the
             range of a FOOTNOTE.
NOT_IIF   A flag indicating that this directive is LEGAL within the
             range of a FOOTNOTE.
DO_OUTNJ   A flag indicating that a .BREAK should be performed before
             envoking the routine to do this directive. Also cancels
             any pending paragraph before this directive is processed.
DONT_OUTNJ A flag indicating that a .BREAK should NOT be performed
             before envoking the routine to do this directive.
DO_GETNUM A flag indicating that this directive may be followed by a
             numeric parameter. The parameter will be fetched before
             envoking the routine to do this directive.
DONT_GETNUM A flag indicating that this directive's first parameter, if
             one is expected, is NOT numeric.
NOT_IIT   A flag indicating that this directive is LEGAL within the
             range of a TOPNOTE.
IIT   A flag indicating that this directive is ILLEGAL within the
             range of a TOPNOTE.

```
!--
```

```
MACRO L_BEGIN_2 = PLIT (
        ITEM (P_BARS             ,H_BEGIN_BAR     ,CHAIN_ENDS        ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
%IF DSRPLUS %THEN
         .ITEM (P_PASSTHROUGH     ,H_BEGIN_PASSTHR,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
         .ITEM (P_TOPNOTE         ,H_BEGIN_TOPNOTE,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,IIF             ,DO_OUTNJ          ,DO_GETNUM       ,IIT)
%FI

        ) %;

MACRO L_CONTROL_2 = PLIT (
        ITEM (P_CHARACTERS       ,H_CONTROL_CHARA,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)

        ) %;

MACRO L_CONTROL_3 = PLIT (
        ITEM (P_CHARACTERS       ,H_NO_CONTROL_CH,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)

        ) %;

MACRO L_DISABLE_2 = PLIT (
%IF DSRPLUS %THEN
        ITEM (P_APPENDIX         ,H_DISABLE_APPEN,CHAIN_ENDS     ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,IIF     ,DONT_OUTNJ     ,DONT_GETNUM    ,IIT),
%FI

        ITEM (P_BARS             ,H_DISABLE_BAR   ,CHAIN_ENDS        ,CAN_TRUNCATE    ,2
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
         .ITEM (P_BOLDING        ,H_DISABLE_BOLDI,CHAIN_ENDS         ,CAN_TRUNCATE    ,2
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
%IF DSRPLUS %THEN
         .ITEM (P_CHAPTER        ,H_DISABLE_CHAPT,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,IIF     ,DONT_OUTNJ     ,DONT_GETNUM    ,IIT)
%FI

         .ITEM (P_HYPHENATION    ,H_DISABLE_HYPHE,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
         .ITEM (P_INDEXING       ,H_DISABLE_INDEX,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
         .ITEM (P_OVERSTRIKING   ,H_DISABLE_OVERS,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
         .ITEM (P_TOC            ,H_DISABLE_TOC   ,CHAIN_ENDS        ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
         .ITEM (P_UNDERLINING    ,H_DISABLE_UNDER,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,NOT_IIT)
%IF DSRPLUS %THEN
         .ITEM (P_XPLUS          ,H_DISABLE_XPLUS,CHAIN_ENDS         ,CAN_TRUNCATE    ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ        ,DONT_GETNUM     ,IIT)
%FI
```

```
        ) %;
MACRO L_DISPLAY_2 = PLIT (
        ITEM (P_APPENDIX          ,H_DISPLAY_APPEN,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
                  ,NOT_RIF        ,IIF            ,DONT_OUTNJ          ,DONT_GETNUM     ,IIT)
        ,ITEM (P_CHAPTER          ,H_DISPLAY_CHAPT,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,IIF            ,DONT_OUTNJ          ,DONT_GETNUM     ,IIT)

%IF DSRPLUS %THEN
        ,ITEM (P_COUNTER          ,H_DISPLAY_COUNT,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,NOT_IIF        ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)
%FI

        ,ITEM (P_DAY              ,H_DISPLAY_DAY  ,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
                  ,NOT_RIF        ,NOT_IIF        ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_ELEMENTS         ,H_DISPLAY_ELEME,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,NOT_IIF        ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)

%IF DSRPLUS %THEN
        ,ITEM (P_EXAMPLE          ,H_DISPLAY_EXAMP,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,IIF            ,DO_OUTNJ            ,DONT_GETNUM     ,IIT)
        ,ITEM (P_FIGURE           ,H_DISPLAY_FIGUR,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
                  ,NOT_RIF        ,IIF            ,DO_OUTNJ            ,DONT_GETNUM     ,IIT)
        ,ITEM (P_HEADER           ,H_DISPLAY_HEAD ,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,IIF            ,DO_OUTNJ            ,DONT_GETNUM     ,IIT)
%FI

        ,ITEM (P_HOURS            ,H_DISPLAY_HOURS,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
                  ,NOT_RIF        ,NOT_IIF        ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_LEVELS           ,H_DISPLAY_LEVEL,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
                  ,NOT_RIF        ,IIF            ,DO_OUTNJ            ,DONT_GETNUM     ,IIT)
        ,ITEM (P_MINUTES          ,H_DISPLAY_MINUT,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,NOT_IIF        ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_MONTH            ,H_DISPLAY_MONTH,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,NOT_IIF        ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_NUMBER           ,H_DISPLAY_NUMBE,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
                  ,NOT_RIF        ,IIF            ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_SECONDS          ,H_DISPLAY_SECON,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,NOT_IIF        ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_SUBPAGE          ,H_DISPLAY_SUBPA,CHAIN_ENDS          ,CAN_TRUNCATE    ,2
                  ,NOT_RIF        ,IIF            ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)

%IF DSRPLUS %THEN
        ,ITEM (P_TABLE            ,H_DISPLAY_TABLE,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
                  ,NOT_RIF        ,IIF            ,DO_OUTNJ            ,DONT_GETNUM     ,IIT)
%FI

        ,ITEM (P_YEAR             ,H_DISPLAY_YEAR ,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
                  ,NOT_RIF        ,NOT_IIF        ,DO_OUTNJ            ,DONT_GETNUM     ,NOT_IIT)
        ) %;

MACRO L_DO_2 = PLIT (

%IF DSRPLUS %THEN
        ITEM (P_CONTENTS          ,H_DO_CONTENTS  ,CHAIN_ENDS          ,CAN_TRUNCATE    ,1
```

```
                 .NOT_RIF         .IIF              .DO_OUTNJ         .DONT_GETNUM      .IIT)
%FI          '

         ITEM (P_INDEX          .H_DO_INDEX       .CHAIN_ENDS       .CAN_TRUNCATE     .1
                 .NOT_RIF         .IIF              .DO_OUTNJ         .DONT_GETNUM      ;IIT)
%IF DSRPLUS %THEN
         .ITEM (P_TABLE         .H_DO_TABLE       .CHAIN_ENDS       .CAN_TRUNCATE     .1
                 .NOT_RIF         .IIF              .DO_OUTNJ         .DONT_GETNUM      ;IIT)
%FI

      ) %;
MACRO L_ENABLE_2 = PLIT (
%IF DSRPLUS %THEN
         ITEM (P_APPENDIX       .H_ENABLE_APPEND.CHAIN_ENDS          .CAN_TRUNCATE     .1
                 .NOT_RIF         .IIF      .DONT_OUTNJ    .DONT_GETNUM      .IIT),
%FI
         ITEM (P_BARS           .H_ENABLE_BAR     .CHAIN_ENDS       .CAN_TRUNCATE     .2
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
         .ITEM (P_BOLDING       .H_ENABLE_BOLDIN.CHAIN_ENDS         .CAN_TRUNCATE     .2
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
%IF DSRPLUS %THEN
         .ITEM (P_CHAPTERS      .H_ENABLE_CHAPTE.CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .IIF              .DONT_OUTNJ       .DONT_GETNUM      ;IIT)
%FI

         .ITEM (P_HYPHENATION   .H_ENABLE_HYPHEN.CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
         .ITEM (P_INDEXING      .H_ENABLE_INDEXI.CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
         .ITEM (P_OVERSTRIKING  .H_ENABLE_OVERST.CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
         .ITEM (P_TOC           .H_ENABLE_TOC    .CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
         .ITEM (P_UNDERLINING   .H_ENABLE_UNDERL.CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
%IF DSRPLUS %THEN
         .ITEM (P_XPLUS         .H_ENABLE_XPLUS  .CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      ;IIT)
%FI

      ) %;

MACRO L_END_2 = PLIT (
         ITEM (P_BARS           .H_END_BAR       .CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
         .ITEM (P_FOOTNOTE      .H_END_FOOTNOTE  .CHAIN_ENDS         .CAN_TRUNCATE     .1
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DONT_GETNUM      ;IIT)
         .ITEM (P_LIST          .H_END_LIST      .CHAIN_ENDS         .CAN_TRUNCATE     .3
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DO_GETNUM        .NOT_IIT)
         .ITEM (P_LITERAL       .H_END_LITERAL   .CHAIN_ENDS         .CAN_TRUNCATE     .3
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DONT_GETNUM      .NOT_IIT)
```

```
        .ITEM (P_NOTE              .H_END_NOTE        .CHAIN_ENDS        .CAN_TRUNCATE      .1
                   .NOT_RIF        .NOT_IIF           .DO_OUTNJ          .DO_GETNUM         .NOT_IIT)
%IF DSRPLUS %THEN
        .ITEM (P_PASSTHROUGH       .H_END_PASSTHROU,CHAIN_ENDS          .CAN_TRUNCATE      .1
                   .NOT_RIF        .IIF               .DONT_OUTNJ        .DONT_GETNUM       .NOT_IIT)
%FI

        .ITEM (P_SUBPAGE           .H_END_SUBPAGE     .CHAIN_ENDS        .CAN_TRUNCATE      .1
                   .NOT_RIF        .IIF               .DO_OUTNJ          .DONT_GETNUM       .NOT_IIT)
%IF DSRPLUS %THEN
        .ITEM (P_TOPNOTE           .H_END_TOPNOTE     .CHAIN_ENDS        .CAN_TRUNCATE      .1
                   .NOT_RIF        .IIF               .DO_OUTNJ          .DO_GETNUM         .NOT_IIT)
%FI

        ) %;

MACRO L_FIGURE_2 = PLIT (
        ITEM (P_00                 .H_FIGURE          .CHAIN_ENDS        .ABBREVIATION      .1
                   .NOT_RIF        .NOT_IIF           .DO_OUTNJ          .DO_GETNUM         .NOT_IIT)
        .ITEM (P_DEFERRED          .H_FIGURE_DEFERR,CHAIN_ENDS          .CAN_TRUNCATE      .1
                   .NOT_RIF        .NOT_IIF           .DO_OUTNJ          .DO_GETNUM         .NOT_IIT)
        ) %;

MACRO L_FIRST_2 = PLIT (

%IF DSRPLUS %THEN
        ITEM (P_TITLE              .L_FIRST_TITLE_3,CONTINUES           .CAN_TRUNCATE      .1
                   .0 ,0 ,0 ,0 ,0)
%ELSE
        ITEM (P_TITLE              .H_FIRST_TITLE     .CHAIN_ENDS        .CAN_TRUNCATE      .1
                   .NOT_RIF        .IIF               .DONT_OUTNJ        .DONT_GETNUM       .IIT)
%FI

        ) %;

%IF DSRPLUS %THEN
MACRO L_FIRST_TITLE_3 = PLIT (
        ITEM (P_00                 .H_FIRST_TITLE     .CHAIN_ENDS        .CAN_TRUNCATE      .1
                   .NOT_RIF        .IIF               .DONT_OUTNJ        .DONT_GETNUM       .IIT)
        .ITEM (P_ALWAYS            .H_FIRST_TITLE_A,CHAIN_ENDS          .CAN_TRUNCATE      .1
                   .NOT_RIF        .IIF               .DONT_OUTNJ        .DONT_GETNUM       .IIT)
        .ITEM (P_DAMMIT            .H_FIRST_TITLE_A,CHAIN_ENDS          .CAN_TRUNCATE      .1
                   .NOT_RIF        .IIF               .DONT_OUTNJ        .DONT_GETNUM       .IIT)
        ) %;
%FI

MACRO L_FLAGS_2 = PLIT (
        ITEM (P_00                 .H_FLAGS_ALL       .CHAIN_ENDS        .ABBREVIATION      .1
                   .NOT_RIF        .IIF               .DONT_OUTNJ        .DONT_GETNUM       .IIT)
        .ITEM (P_ACCEPT            .H_FLAGS_QUOTE     .CHAIN_ENDS        .CAN_TRUNCATE      .2
                   .NOT_RIF        .NOT_IIF           .DONT_OUTNJ        .DONT_GETNUM       .NOT_IIT)
        .ITEM (P_ALL               .H_FLAGS_ALL       .CHAIN_ENDS        .CAN_TRUNCATE      .2
                   .NOT_RIF        .IIF               .DONT_OUTNJ        .DONT_GETNUM       .IIT)
        .ITEM (P_BOLD              .H_FLAGS_BOLD      .CHAIN_ENDS        .CAN_TRUNCATE      .2
```

```
                    .NOT RIF              .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_BREAK               .H_FLAGS_BREAK  .CHAIN_ENDS          .CAN_TRUNCATE    .2
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_CAPITALIZE          .H_FLAGS_CAPITAL.CHAIN_ENDS          .CAN_TRUNCATE    .2
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_COMMENT             .H_FLAGS_COMMENT.CHAIN_ENDS          .CAN_TRUNCATE    .3
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_CONTROL             .H_FLAGS_CONTROL.CHAIN_ENDS          .CAN_TRUNCATE    .3
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_ENDFOOTNOTE         .H_FLAGS_ENDFOOT.CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .IIT)
        .ITEM (P_HYPHENATE           .H_FLAGS_HYPHENA.CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_INDEX               .H_FLAGS_INDEX  .CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_LOWERCASE           .H_FLAGS_LOWERCA.CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_NOPERMUTE           .H_FLAGS_NOPERMU.CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
%FI

        .ITEM (P_OVERSTRIKE          .H_FLAGS_OVERSTR.CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_PERIOD              .H_FLAGS_PERIOD .CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_QUOTE               .H_FLAGS_QUOTE  .CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_SPACE               .H_FLAGS_SPACE  .CHAIN_ENDS          .CAN_TRUNCATE    .2
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_SUBINDEX            .H_FLAGS_SUBINDE.CHAIN_ENDS          .CAN_TRUNCATE    .4
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_SUBSTITUTE          .H_FLAGS_SUBSTIT.CHAIN_ENDS          .CAN_TRUNCATE    .4
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_UNDERLINE           .H_FLAGS_UNDERLI.CHAIN_ENDS          .CAN_TRUNCATE    .2
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_UPPERCASE           .H_FLAGS_UPPERCA.CHAIN_ENDS          .CAN_TRUNCATE    .2
                    .NOT_RIF             .NOT_IIF         .DONT_OUTNJ          .DONT_GETNUM     .NOT_IIT)
        ) %;

%IF DSRPLUS %THEN
MACRO L_FOOTNOTE_3 = PLIT (
        ITEM (P_00                   .H_NO_NUMBER    .CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .IIF             .DONT_OUTNJ          .DONT_GETNUM     .IIT)
        .ITEM (P_FOOTNOTES           .H_NO_NUMBER_FOO.CHAIN_ENDS          .CAN_TRUNCATE    .1
                    .NOT_RIF             .IIF             .DONT_OUTNJ          .DONT_GETNUM     .IIT)
        ) %;
%FI

MACRO L_HEADERS_2 = PLIT (
        ITEM (P_00                   .H_HEADERS_ON   .CHAIN_ENDS          .ABBREVIATION    .1
                    .NOT_RIF             .IIF             .DONT_OUTNJ          .DONT_GETNUM     .IIT)

%IF DSRPLUS %THEN
        .ITEM (P_EXAMPLE             .H_HEADER_EXAMPL.CHAIN_ENDS          .CAN_TRUNCATE    .1
```

```
                    .NOT_RIF            .IIF              .DO_OUTNJ        .DONT_GETNUM     .IIT)
        .ITEM (P_FIGURE            .H_HEADER_FIGURE,CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .IIF              .DO_OUTNJ        .DONT_GETNUM     .IIT)
%FI

        .ITEM (P_LEVEL            .H_HEADER_LEVEL  .CHAIN_ENDS        .CAN_TRUNCATE    .2
                    .NOT_RIF            .IIF              .DO_OUTNJ        .DO_GETNUM       .IIT)
        .ITEM (P_LOWER            .H_HEADERS_LOWER.CHAIN_ENDS        .CAN_TRUNCATE    .2
                    .NOT_RIF            .IIF              .DONT_OUTNJ      .DONT_GETNUM     .IIT)
        .ITEM (P_MIXED            .H_HEADERS_MIXED.CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .IIF              .DONT_OUTNJ      .DONT_GETNUM     .IIT)
        .ITEM (P_ON               .H_HEADERS_ON    .CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .IIF              .DONT_OUTNJ      .DONT_GETNUM     .IIT)

%IF DSRPLUS %THEN
        .ITEM (P_TABLE            .H_HEADER_TABLE  .CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .IIF              .DO_OUTNJ        .DONT_GETNUM     .IIT)
%FI

        .ITEM (P_UPPER            .H_HEADERS_UPPER.CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .IIF              .DONT_OUTNJ      .DONT_GETNUM     .IIT)
        ) %;

MACRO L_LEFT 2 = PLIT (
        ITEM (P_OO                .H_LEFT          .CHAIN_ENDS        .ABBREVIATION    .1
                    .NOT_RIF            .NOT_IIF          .DO_OUTNJ        .DO_GETNUM       .NOT_IIT)
        .ITEM (P_MARGIN           .H_LEFT_MARGIN   .CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .NOT_IIF          .DO_OUTNJ        .DO_GETNUM       .NOT_IIT)
        ) %;

MACRO L_LIST 2 = PLIT (
        ITEM (P_OO                .H_LIST          .CHAIN_ENDS        .ABBREVIATION    .1
                    .NOT_RIF            .NOT_IIF          .DO_OUTNJ        .DO_GETNUM       .NOT_IIT)
        .ITEM (P_ELEMENT          .H_LIST_ELEMENT  .CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .NOT_IIF          .DO_OUTNJ        .DONT_GETNUM     .NOT_IIT)
        ) %;

MACRO L_LOWER_2 = PLIT (
        ITEM (P_CASE              .H_LOWER_CASE    .CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .NOT_IIF          .DONT_OUTNJ      .DONT_GETNUM     .NOT_IIT)
        ) %;

MACRO L_NOCONTROL 2 = PLIT (
        ITEM (P_CHARACTERS        .H_NO_CONTROL_CH.CHAIN_ENDS        .CAN_TRUNCATE    .1
                    .NOT_RIF            .NOT_IIF          .DONT_OUTNJ      .DONT_GETNUM     .NOT_IIT)
        ) %;

MACRO L_NOFLAGS 2 = PLIT (
        ITEM (P_OO                .H_NO_FLAGS_ALL  .CHAIN_ENDS        .ABBREVIATION    .1
                    .NOT_RIF            .IIF              .DONT_OUTNJ      .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_ACCEPT           .H_NO_FLAGS_QUOT.CHAIN_ENDS        .CAN_TRUNCATE    .2
                    .NOT_RIF            .NOT_IIF          .DONT_OUTNJ      .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_ALL              .H_NO_FLAGS_ALL  .CHAIN_ENDS        .CAN_TRUNCATE    .2
                    .NOT_RIF            .IIF              .DONT_OUTNJ      .DONT_GETNUM     .NOT_IIT)
        .ITEM (P_BOLD             .H_NO_FLAGS_BOLD.CHAIN_ENDS        .CAN_TRUNCATE    .2
                    .NOT_RIF            .NOT_IIF          .DONT_OUTNJ      .DONT_GETNUM     .NOT_IIT)
```

```
        .ITEM (P_BREAK           .H_NO_FLAGS_BREA,CHAIN_ENDS       .CAN_TRUNCATE    ,2
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_CAPITALIZE      .H_NO_FLAGS_CAPI,CHAIN_ENDS       .CAN_TRUNCATE    ,2
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_COMMENT         .H_NO_FLAGS_COMM,CHAIN_ENDS       .CAN_TRUNCATE    ,3
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_CONTROL         .H_NO_FLAGS_CONT,CHAIN_ENDS       .CAN_TRUNCATE    ,3
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_ENDFOOTNOTE     .H_NO_FLAGS_ENDF,CHAIN_ENDS       .CAN_TRUNCATE    ,1
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,IIT)
        .ITEM (P_HYPHENATE       .H_NO_FLAGS_HYPH,CHAIN_ENDS       .CAN_TRUNCATE    ,1
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_INDEX           .H_NO_FLAGS_INDE,CHAIN_ENDS       .CAN_TRUNCATE    ,1
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_LOWERCASE       .H_NO_FLAGS_LOWE,CHAIN_ENDS       .CAN_TRUNCATE    ,1
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_NOPERMUTE       .H_NO_FLAGS_NOPE,CHAIN_ENDS       .CAN_TRUNCATE    ,1
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
%FI

        .ITEM (P_OVERSTRIKE      .H_NO_FLAGS_OVER,CHAIN_ENDS       .CAN_TRUNCATE    ,1
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_PERIOD          .H_NO_FLAGS_PERI,CHAIN_ENDS       .CAN_TRUNCATE    ,1
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_QUOTE           .H_NO_FLAGS_QUOT,CHAIN_ENDS       .CAN_TRUNCATE    ,1
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_SPACE           .H_NO_FLAGS_SPAC,CHAIN_ENDS       .CAN_TRUNCATE    ,2
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_SUBINDEX        .H_NO_FLAGS_SUBI,CHAIN_ENDS       .CAN_TRUNCATE    ,4
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_SUBSTITUTE      .H_NO_FLAGS_SUBS,CHAIN_ENDS       .CAN_TRUNCATE    ,4
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_UNDERLINE       .H_NO_FLAGS_UNDE,CHAIN_ENDS       .CAN_TRUNCATE    ,2
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_UPPERCASE       .H_NO_FLAGS_UPPE,CHAIN_ENDS       .CAN_TRUNCATE    ,2
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        ) %;

MACRO L_NO_2 = PLIT (

%IF DSRPLUS %THEN
        ITEM (P_AUTOJUSTIFY      .H_NO_AUTOJUSTIF,CHAIN_ENDS       .CAN_TRUNCATE    ,5
                ,NOT_RIF         ,IIF             ,DONT_OUTNJ      .DONT_GETNUM     ,IIT)
%ELSE
        ITEM (P_AUTOJUSTIFY      .H_NO_AUTOJUSTIF,CHAIN_ENDS       .CAN_TRUNCATE    ,5
                ,NOT_RIF         ,IIF             ,DONT_OUTNJ      .DONT_GETNUM     ,IIT)
%FI

        .ITEM (P_AUTOPARAGRAPH   .H_NO_AUTOPARAGR,CHAIN_ENDS       .CAN_TRUNCATE    ,5
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_AUTOSUBTITLE    .H_NO_AUTOSUBTIT,CHAIN_ENDS       .CAN_TRUNCATE    ,5
                ,NOT_RIF         ,IIF             ,DONT_OUTNJ      .DONT_GETNUM     ,IIT)
        .ITEM (P_AUTOTABLE       .H_NO_AUTOTABLE ,CHAIN_ENDS       .CAN_TRUNCATE    ,6
                ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ      .DONT_GETNUM     ,NOT_IIT)
```

```
%IF DSRPLUS %THEN
        ,ITEM (P_AUTOTITLE         ,H_NO_AUTOTITLE  ,CHAIN_ENDS       ,CAN_TRUNCATE    ,6
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DONT_GETNUM     ;IIT)
        ,ITEM (P_CHAPTER           ,H_NO_CHAPTER    ,CHAIN_ENDS       ,CAN_TRUNCATE    ,2
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DONT_GETNUM     ;IIT)
%FI

        ,ITEM (P_CONTROL           ,L_CONTROL_3     ,CONTINUES        ,CAN_TRUNCATE    ,1
                ,0 ,0 ,0 ,0 ,0)
        ,ITEM (P_DATE              ,H_NO_DATE       ,CHAIN_ENDS       ,CAN_TRUNCATE    ,1
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DONT_GETNUM     ;IIT)
        ,ITEM (P_FILL              ,H_NO_FILL       ,CHAIN_ENDS       ,CAN_TRUNCATE    ,2
                ,NOT_RIF           ,NOT_IIF         ,DO_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_FLAGS             ,L_NOFLAGS_2     ,CONTINUES        ,CAN_TRUNCATE    ,2
                ,0 ,0 ,0 ,0 ,0)
        ,ITEM (P_HEADERS           ,H_NO_HEADERS    ,CHAIN_ENDS       ,CAN_TRUNCATE    ,2
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DONT_GETNUM     ;IIT)
        ,ITEM (P_HYPHENATION       ,H_NO_HYPHENATIO ,CHAIN_ENDS       ,CAN_TRUNCATE    ,2
                ,NOT_RIF           ,NOT_IIF         ,DONT_OUTNJ       ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_JUSTIFY           ,H_NO_JUSTIFY    ,CHAIN_ENDS       ,CAN_TRUNCATE    ,1
                ,NOT_RIF           ,NOT_IIF         ,DO_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_KEEP              ,H_NO_KEEP       ,CHAIN_ENDS       ,CAN_TRUNCATE    ,1
                ,NOT_RIF           ,NOT_IIF         ,DONT_OUTNJ       ,DONT_GETNUM     ,NOT_IIT)
%IF DSRPLUS %THEN
        ,ITEM (P_NUMBER            ,L_FOOTNOTE_3    ,CONTINUES        ,CAN_TRUNCATE    ,1
                ,0 ,0 ,0 ,0 ,0)
%ELSE
        ,ITEM (P_NUMBER            ,H_NO_NUMBER     ,CHAIN_ENDS       ,CAN_TRUNCATE    ,1
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DONT_GETNUM     ;IIT)
%FI

        ,ITEM (P_PAGING            ,H_NO_PAGING     ,CHAIN_ENDS       ,CAN_TRUNCATE    ,2
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DONT_GETNUM     ;IIT)
        ,ITEM (P_PERIOD            ,H_NO_PERIOD     ,CHAIN_ENDS       ,CAN_TRUNCATE    ,2
                ,NOT_RIF           ,NOT_IIF         ,DONT_OUTNJ       ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_SPACE             ,H_NO_SPACE      ,CHAIN_ENDS       ,CAN_TRUNCATE    ,2
                ,NOT_RIF           ,NOT_IIF         ,DONT_OUTNJ       ,DONT_GETNUM     ,NOT_IIT)
        ,ITEM (P_SUBTITLE          ,H_NO_SUBTITLE   ,CHAIN_ENDS       ,CAN_TRUNCATE    ,2
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DONT_GETNUM     ;IIT)
%IF DSRPLUS %THEN
        ,ITEM (P_TOPNOTE           ,H_NO_TOPNOTE    ,CHAIN_ENDS       ,CAN_TRUNCATE    ,1
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DO_GETNUM       ;IIT)
%FI

        ) %;

MACRO L_NUMBER_2 = PLIT (
        ITEM (P_00                 ,H_NUMBER_PAGE   ,CHAIN_ENDS       ,ABBREVIATION    ,1
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DO_GETNUM       ;IIT)
        ,ITEM (P_APPENDIX          ,H_NUMBER_APPEND ,CHAIN_ENDS       ,CAN_TRUNCATE    ,1
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DO_GETNUM       ;IIT)
        ,ITEM (P_CHAPTER           ,H_NUMBER_CHAPTE ,CHAIN_ENDS       ,CAN_TRUNCATE    ,1
                ,NOT_RIF           ,IIF             ,DONT_OUTNJ       ,DO_GETNUM       ;IIT)
```

```
%IF DSRPLUS %THEN
        .ITEM (P_EXAMPLE          .H_NUMBER_EXAMPL,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DO_GETNUM          ;IIT)
        .ITEM (P_FIGURE           .H_NUMBER_FIGURE,CHAIN_ENDS       .CAN_TRUNCATE       ,2
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DO_GETNUM          ;IIT)
        .ITEM (P_FOOTNOTES        .H_NUMBER_FOOTNO,CHAIN_ENDS       .CAN_TRUNCATE       ;2
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DONT_GETNUM        ;IIT)
%FI

        .ITEM (P_INDEX            .H_NUMBER_INDEX ,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DONT_GETNUM        ;IIT)
        .ITEM (P_LEVEL            .H_NUMBER_LEVEL ,CHAIN_ENDS       .CAN_TRUNCATE       ;2
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DONT_GETNUM        ;IIT)
        .ITEM (P_LIST             .H_NUMBER_LIST  ,CHAIN_ENDS       .CAN_TRUNCATE       ;2
                .NOT_RIF          .NOT_IIF        ,DONT_OUTNJ       ,DONT_GETNUM        ,NOT_IIT)
        .ITEM (P_PAGE             .H_NUMBER_PAGE  ,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DO_GETNUM          ;IIT)
        .ITEM (P_RUNNING          .H_NUMBER_RUNNIN,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DO_GETNUM          ;IIT)
        .ITEM (P_SUBPAGE          .H_NUMBER_SUBPAG,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DO_GETNUM          ;IIT)
%IF DSRPLUS %THEN
        .ITEM (P_TABLE            .H_NUMBER_TABLE ,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DO_GETNUM          ;IIT)
%FI

        ) %;
MACRO L_PAGE_2 = PLIT (
        ITEM (P_00                .H_PAGE         ,CHAIN_ENDS       .ABBREVIATION       ,1
                .NOT_RIF          .IIF            ,DO_OUTNJ         ,DONT_GETNUM        ;IIT)
%IF DSRPLUS %THEN
        .ITEM (P_NOW              .H_PAGE_NOW     ,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DO_OUTNJ         ,DONT_GETNUM        ;IIT)
%FI

        .ITEM (P_SIZE             .H_PAGE_SIZE    ,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DO_OUTNJ         ,DONT_GETNUM        ;IIT)
        ) %;

MACRO L_PAPER_2 = PLIT (
        ITEM (P_SIZE              .H_PAGE_SIZE    ,CHAIN_ENDS       .CAN_TRUNCATE       ,1
                .NOT_RIF          .IIF            ,DO_OUTNJ         ,DONT_GETNUM        ;IIT)
        ) %;

MACRO L_PRIMARY_1 = PLIT (
        ITEM (P_01                .H_COMMENT      ,CHAIN_ENDS       .ABBREVIATION       ,1
                .NOT_RIF          .NOT_IIF        ,DONT_OUTNJ       ,DONT_GETNUM        ,NOT_IIT)
        .ITEM (P_00               .H_BREAK        ,CHAIN_ENDS       .ABBREVIATION       ,1
                .NOT_RIF          .NOT_IIF        ,DO_OUTNJ         ,DONT_GETNUM        ,NOT_IIT)
        .ITEM (P_AJ               .H_AUTOJUSTIFY  ,CHAIN_ENDS       .ABBREVIATION       ,2
                .NOT_RIF          .IIF            ,DONT_OUTNJ       ,DONT_GETNUM        ;IIT)
        .ITEM (P_AP               .H_AUTOPARAGRAPH,CHAIN_ENDS       .ABBREVIATION       ,2
```

```
                    .NOT_RIF        .NOT_IIF         .DONT_OUTNJ       .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_APPENDIX           .H_APPENDIX      .CHAIN_ENDS       .CAN_TRUNCATE   ,3
                    .NOT_RIF        .IIF             .DO_OUTNJ         .DONT_GETNUM    ,IIT)
        .ITEM (P_AST                .H_AUTOSUBTITLE  .CHAIN_ENDS       .ABBREVIATION   ,3
                    .NOT_RIF        .IIF             .DONT_OUTNJ       .DO_GETNUM      ,IIT)
        .ITEM (P_AT                 .H_AUTOTABLE     .CHAIN_ENDS       .ABBREVIATION   ,2
                    .NOT_RIF        .NOT_IIF         .DONT_OUTNJ       .DONT_GETNUM    ,NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_ATI                .H_AUTOTITLE     .CHAIN_ENDS       .ABBREVIATION   ,3
                    .NOT_RIF        .IIF             .DONT_OUTNJ       .DONT_GETNUM    ,IIT)
%FI

        .ITEM (P_AUTOJUSTIFY        .H_AUTOJUSTIFY   .CHAIN_ENDS       .CAN_TRUNCATE   ,5
                    .NOT_RIF        .IIF             .DONT_OUTNJ       .DONT_GETNUM    ,IIT)
        .ITEM (P_AUTOPARAGRAPH      .H_AUTOPARAGRAPH .CHAIN_ENDS       .CAN_TRUNCATE   ,5
                    .NOT_RIF        .NOT_IIF         .DONT_OUTNJ       .DONT_GETNUM    ,NOT_IIT)
        .ITEM (P_AUTOSUBTITLE       .H_AUTOSUBTITLE  .CHAIN_ENDS       .CAN_TRUNCATE   ,5
                    .NOT_RIF        .IIF             .DONT_OUTNJ       .DO_GETNUM      ,IIT)
        .ITEM (P_AUTOTABLE          .H_AUTOTABLE     .CHAIN_ENDS       .CAN_TRUNCATE   ,5
                    .NOT_RIF        .NOT_IIF         .DONT_OUTNJ       .DONT_GETNUM    ,NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_AUTOTITLE          .H_AUTOTITLE     .CHAIN_ENDS       .CAN_TRUNCATE   ,3
                    .NOT_RIF        .IIF             .DONT_OUTNJ       .DONT_GETNUM    ,IIT)
%FI

        .ITEM (P_AX                 .H_APPENDIX      .CHAIN_ENDS       .ABBREVIATION   ,2
                    .NOT_RIF        .IIF             .DO_OUTNJ         .DONT_GETNUM    ,IIT)
        .ITEM (P_B                  .H_BLANK         .CHAIN_ENDS       .ABBREVIATION   ,1
                    .NOT_RIF        .NOT_IIF         .DO_OUTNJ         .DO_GETNUM      ,NOT_IIT)
        .ITEM (P_BB                 .H_BEGIN_BAR     .CHAIN_ENDS       .ABBREVIATION   ,2
                    .NOT_RIF        .NOT_IIF         .DONT_OUTNJ       .DONT_GETNUM    ,NOT_IIT)
        .ITEM (P_BEGIN              .L_BEGIN_2       .CONTINUES        .CAN_TRUNCATE   ,2
                    ,0 ,0 ,0 ,0 ,0)
        .ITEM (P_BLANK              .H_BLANK         .CHAIN_ENDS       .CAN_TRUNCATE   ,2
                    .NOT_RIF        .NOT_IIF         .DO_OUTNJ         .DO_GETNUM      ,NOT_IIT)
        .ITEM (P_BREAK              .H_BREAK         .CHAIN_ENDS       .CAN_TRUNCATE   ,2
                    .NOT_RIF        .NOT_IIF         .DO_OUTNJ         .DONT_GETNUM    ,NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_BTN                .H_BEGIN_TOPNOTE .CHAIN_ENDS       .ABBREVIATION   ,3
                    .NOT_RIF        .IIF             .DO_OUTNJ         .DO_GETNUM      ,IIT)
%FI

        .ITEM (P_C                  .H_CENTER        .CHAIN_ENDS       .ABBREVIATION   ,1
                    .NOT_RIF        .NOT_IIF         .DO_OUTNJ         .DO_GETNUM      ,NOT_IIT)
        .ITEM (P_CC                 .H_CONTROL_CHARA .CHAIN_ENDS       .ABBREVIATION   ,2
                    .NOT_RIF        .NOT_IIF         .DONT_OUTNJ       .DONT_GETNUM    ,NOT_IIT)
        .ITEM (P_CENTER             .H_CENTER        .CHAIN_ENDS       .CAN_TRUNCATE   ,5
                    .NOT_RIF        .NOT_IIF         .DO_OUTNJ         .DO_GETNUM      ,NOT_IIT)
        .ITEM (P_CENTRE             .H_CENTER        .CHAIN_ENDS       .CAN_TRUNCATE   ,5
                    .NOT_RIF        .NOT_IIF         .DO_OUTNJ         .DO_GETNUM      ,NOT_IIT)
        .ITEM (P_CHAPTER            .H_CHAPTER       .CHAIN_ENDS       .CAN_TRUNCATE   ,2
                    .NOT_RIF        .IIF             .DO_OUTNJ         .DONT_GETNUM    ,IIT)
        .ITEM (P_COMMENT            .H_COMMENT       .CHAIN_ENDS       .CAN_TRUNCATE   ,3
```

```
                    .NOT_RIF        .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_CONTROL           .L_CONTROL_2    .CONTINUES       .CAN_TRUNCATE   ,3
                    .0 ,0 ,0 ,0 ,0)
        .ITEM (P_D                 .H_DATE         .CHAIN_ENDS      .ABBREVIATION   ,1
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DONT_GETNUM    ;IIT)
        .ITEM (P_DATE              .H_DATE         .CHAIN_ENDS      .CAN_TRUNCATE   ,2
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DONT_GETNUM    ;IIT)
        .ITEM (P_DAX               .H_DISPLAY_APPEN .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DONT_GETNUM    ;IIT)
        .ITEM (P_DBB               .H_DISABLE_BAR  .CHAIN_ENDS      .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DBO               .H_DISABLE_BOLDI .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_DC                .H_DO_CONTENTS  .CHAIN_ENDS      .ABBREVIATION   ,2
                    .NOT_RIF        .IIF            .DO_OUTNJ        .DONT_GETNUM    ;IIT)
%FI

        .ITEM (P_DCH               .H_DISPLAY_CHAPT .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DONT_GETNUM    ;IIT)

%IF DSRPLUS %THEN
        .ITEM (P_DCO               .H_DISPLAY_COUNT .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)
%FI

        .ITEM (P_DDD               .H_DISPLAY_DAY  .CHAIN_ENDS      .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_DEX               .H_DISPLAY_EXAMP .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DO_OUTNJ        .DONT_GETNUM    ;IIT)
        .ITEM (P_DFG               .H_DISPLAY_FIGUR .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DO_OUTNJ        .DONT_GETNUM    ;IIT)
        .ITEM (P_DHE               .H_DISPLAY_HEAD .CHAIN_ENDS      .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DO_OUTNJ        .DONT_GETNUM    ;IIT)
%FI

        .ITEM (P_DHH               .H_DISPLAY_HOURS .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DHL               .H_DISPLAY_LEVEL .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DO_OUTNJ        .DONT_GETNUM    ;IIT)
        .ITEM (P_DHY               .H_DISABLE_HYPHE .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DISABLE           .L_DISABLE_2    .CONTINUES       .CAN_TRUNCATE   ,4
                    .0 ,0 ,0 ,0 ,0)
        .ITEM (P_DISPLAY           .L_DISPLAY_2    .CONTINUES       .CAN_TRUNCATE   ,4
                    .0 ,0 ,0 ,0 ,0)
        .ITEM (P_DIX               .H_DISABLE_INDEX .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DLE               .H_DISPLAY_ELEME .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DMM               .H_DISPLAY_MINUT .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DMO               .H_DISPLAY_MONTH .CHAIN_ENDS     .ABBREVIATION   ,3
```

```
                .NOT_RIF           .NOT_IIF        .DO_OUTNJ       .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DNM              .H_DISPLAY_NUMBE,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .IIF            .DO_OUTNJ       .DONT_GETNUM    .IIT)
        .ITEM (P_DO               .L_DO_2         .CONTINUES      .ABBREVIATION   .2
                .0 ,0 ,0 ,0 ,0)
        .ITEM (P_DOV              .H_DISABLE_OVERS,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DSP              .H_DISPLAY_SUBPA,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .IIF            .DO_OUTNJ       .DONT_GETNUM    .IIT)
        .ITEM (P_DSS              .H_DISPLAY_SECON,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DO_OUTNJ       .DONT_GETNUM    .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_DT               .H_DO_TABLE,    CHAIN_ENDS      .ABBREVIATION   .2
                .NOT_RIF           .IIF            .DO_OUTNJ       .DONT_GETNUM    .IIT)
        .ITEM (P_DTB              .H_DISPLAY_TABLE,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .IIF            .DO_OUTNJ       .DONT_GETNUM    .IIT)
%FI

        .ITEM (P_DTC              .H_DISABLE_TOC  ,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DUL              .H_DISABLE_UNDER,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_DX               .H_DO_INDEX     ,CHAIN_ENDS     .ABBREVIATION   .2
                .NOT_RIF           .IIF            .DO_OUTNJ       .DONT_GETNUM    .IIT)

%IF DSRPLUS %THEN
        .ITEM (P_DXP              .H_DISABLE_XPLUS,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .IIT)
%FI

        .ITEM (P_DYY              .H_DISPLAY_YEAR ,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DO_OUTNJ       .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_E                .L_END_2        .CONTINUES      .ABBREVIATION   .1
                .0 ,0 ,0 ,0 ,0)
        .ITEM (P_EB               .H_END_BAR      ,CHAIN_ENDS     .ABBREVIATION   .2
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_EBB              .H_ENABLE_BAR   ,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_EBO              .H_ENABLE_BOLDIN,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_EFN              .H_END_FOOTNOTE ,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DO_OUTNJ       .DONT_GETNUM    .IIT)
        .ITEM (P_EHY              .H_ENABLE_HYPHEN,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_EI               .H_ENDIF        ,CHAIN_ENDS     .ABBREVIATION   .2
                .RIF               .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_EIX              .H_ENABLE_INDEXI,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DONT_OUTNJ     .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_EL               .H_END_LITERAL  ,CHAIN_ENDS     .ABBREVIATION   .2
                .NOT_RIF           .NOT_IIF        .DO_OUTNJ       .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_ELI              .H_END_LITERAL  ,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DO_OUTNJ       .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_ELS              .H_END_LIST     ,CHAIN_ENDS     .ABBREVIATION   .3
                .NOT_RIF           .NOT_IIF        .DO_OUTNJ       .DO_GETNUM      .NOT_IIT)
        .ITEM (P_ELSE             .H_ELSE         ,CHAIN_ENDS     .ABBREVIATION   .4
```

```
                    .RIF            .NOT IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_EN               .H_END_NOTE     .CHAIN_ENDS      .ABBREVIATION   ,2
                    .NOT_RIF        .NOT IIF        .DO_OUTNJ        .DO_GETNUM      .NOT_IIT)
        .ITEM (P_ENABLE           .L_ENABLE_2     .CONTINUES       .CAN_TRUNCATE   ,3
                ,0 ,0 ,0 ,0 ,0)
        .ITEM (P_END              .L_END_2        .CONTINUES       .ABBREVIATION   ,1
                ,0 ,0 ,0 ,0 ,0)
        .ITEM (P_ENDIF            .H_ENDIF        .CHAIN_ENDS      .CAN_TRUNCATE   ,4
                    .RIF            .NOT IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_ENTRY            .H_ENTRY        .CHAIN_ENDS      .CAN_TRUNCATE   ,3
                    .NOT_RIF        .NOT IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_EOV              .H_ENABLE_OVERST .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_ES               .H_END_SUBPAGE  .CHAIN_ENDS      .ABBREVIATION   ,2
                    .NOT_RIF        .IIF            .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_ETC              .H_ENABLE_TOC   .CHAIN_ENDS      .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_ETN              .H_END_TOPNOTE  .CHAIN_ENDS      .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DO_OUTNJ        .DO_GETNUM      .NOT_IIT)
%FI

        .ITEM (P_EUN              .H_ENABLE_UNDERL .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_EXP              .H_ENABLE_XPLUS .CHAIN_ENDS      .ABBREVIATION   ,3
                    .NOT_RIF        .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .IIT)
%FI

        .ITEM (P_F                .H_FILL         .CHAIN_ENDS      .ABBREVIATION   ,1
                    .NOT_RIF        .NOT IIF        .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_FG               .H_FIGURE       .CHAIN_ENDS      .ABBREVIATION   ,2
                    .NOT_RIF        .NOT IIF        .DO_OUTNJ        .DO_GETNUM      .NOT_IIT)
        .ITEM (P_FGD              .H_FIGURE_DEFERR .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .NOT IIF        .DO_OUTNJ        .DO_GETNUM      .NOT_IIT)
        .ITEM (P_FIGURE           .L_FIGURE_2     .CONTINUES       .CAN_TRUNCATE   ,3
                ,0 ,0 ,0 ,0 ,0)
        .ITEM (P_FILL             .H_FILL         .CHAIN_ENDS      .CAN_TRUNCATE   ,3
                    .NOT_RIF        .NOT IIF        .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)
        .ITEM (P_FIRST            .L_FIRST_2      .CONTINUES       .CAN_TRUNCATE   ,3
                ,0 ,0 ,0 ,0 ,0)
        .ITEM (P_FLAGS            .L_FLAGS_2      .CONTINUES       .CAN_TRUNCATE   ,2
                ,0 ,0 ,0 ,0 ,0)
        .ITEM (P_FN               .H_FOOTNOTE     .CHAIN_ENDS      .ABBREVIATION   ,2
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DO_GETNUM      .IIT)
        .ITEM (P_FOOTNOTE         .H_FOOTNOTE     .CHAIN_ENDS      .CAN_TRUNCATE   ,2
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DO_GETNUM      .IIT)
        .ITEM (P_FT               .H_FIRST_TITLE  .CHAIN_ENDS      .ABBREVIATION   ,2
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DONT_GETNUM    .IIT)

%IF DSRPLUS %THEN
        .ITEM (P_FTA              .H_FIRST_TITLE_A .CHAIN_ENDS     .ABBREVIATION   ,3
                    .NOT_RIF        .IIF            .DONT_OUTNJ      .DONT_GETNUM    .IIT)
%FI
```

H 1

```
        .ITEM (P_HD            .L_HEADERS_2      .CONTINUES          .ABBREVIATION   ,2
               ,0 ,0 ,0 ,0 ,0)
%IF DSRPLUS %THEN
        .ITEM (P_HE            .H_HEADER_EXAMPL,CHAIN_ENDS          .ABBREVIATION   ,2
               ,NOT_RIF        .IIF              ,DO_OUTNJ           ,DONT_GETNUM     ;IIT)
%FI
        .ITEM (P_HEADERS       .L_HEADERS_2      ,CONTINUES          .CAN_TRUNCATE   ,3
               ,0 ,0 ,0 ,0 ,0)
%IF DSRPLUS %THEN
        .ITEM (P_HF            .H_HEADER_FIGURE,CHAIN_ENDS          .ABBREVIATION   ,2
               ,NOT_RIF        .IIF              ,DO_OUTNJ           ,DONT_GETNUM     ;IIT)
%FI
        .ITEM (P_HL            .H_HEADER_LEVEL   ,CHAIN_ENDS         .ABBREVIATION   ,2
               ,NOT_RIF        .IIF              ,DO_OUTNJ           ,DO_GETNUM       ;IIT)
%IF DSRPLUS %THEN
        .ITEM (P_HT            .H_HEADER_TABLE   ,CHAIN_ENDS         .ABBREVIATION   ,2
               ,NOT_RIF        .IIF              ,DO_OUTNJ           ,DONT_GETNUM     ;IIT)
%FI
        .ITEM (P_HY            .H_HYPHENATION    ,CHAIN_ENDS         .ABBREVIATION   ,2
               ,NOT_RIF        .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_HYPHENATION   .H_HYPHENATION    ,CHAIN_ENDS         .CAN_TRUNCATE   ,2
               ,NOT_RIF        .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_I             .H_INDENT         ,CHAIN_ENDS         .ABBREVIATION   ,1
               ,NOT_RIF        .NOT_IIF          ,DO_OUTNJ           ,DO_GETNUM       ,NOT_IIT)
        .ITEM (P_IF            .H_IF             ,CHAIN_ENDS         .ABBREVIATION   ,2
               ,RIF            .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_IFNOT         .H_IFNOT          ,CHAIN_ENDS         .CAN_TRUNCATE   ,3
               ,RIF            .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_IN            .H_IFNOT          ,CHAIN_ENDS         .ABBREVIATION   ,2
               ,RIF            .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_INDENT        .H_INDENT         ,CHAIN_ENDS         .CAN_TRUNCATE   ,5
               ,NOT_RIF        .NOT_IIF          ,DO_OUTNJ           ,DO_GETNUM       ,NOT_IIT)
        .ITEM (P_INDEX         .H_INDEX          ,CHAIN_ENDS         .CAN_TRUNCATE   ,5
               ,NOT_RIF        .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_IX            .H_INDEX          ,CHAIN_ENDS         .ABBREVIATION   ,2
               ,NOT_RIF        .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_JUSTIFY       .H_JUSTIFY        ,CHAIN_ENDS         .CAN_TRUNCATE   ,1
               ,NOT_RIF        .NOT_IIF          ,DO_OUTNJ           ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_KEEP          .H_KEEP           ,CHAIN_ENDS         .CAN_TRUNCATE   ,1
               ,NOT_RIF        .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_L             .H_LEFT           ,CHAIN_ENDS         .ABBREVIATION   ,1
               ,NOT_RIF        .NOT_IIF          ,DO_OUTNJ           ,DO_GETNUM       ,NOT_IIT)
        .ITEM (P_LAYOUT        .H_LAYOUT         ,CHAIN_ENDS         .CAN_TRUNCATE   ,2
               ,NOT_RIF        .IIF              ,DO_OUTNJ           ,DO_GETNUM       ;IIT)
        .ITEM (P_LC            .H_LOWER_CASE     ,CHAIN_ENDS         .ABBREVIATION   ,2
               ,NOT_RIF        .NOT_IIF          ,DONT_OUTNJ         ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_LE            .H_LIST_ELEMENT   ,CHAIN_ENDS         .ABBREVIATION   ,2
               ,NOT_RIF        .NOT_IIF          ,DO_OUTNJ           ,DONT_GETNUM     ,NOT_IIT)
        .ITEM (P_LEFT          .L_LEFT_2         ,CONTINUES          .CAN_TRUNCATE   ,3
```

```
                 .0 .0 .0 .0 .0)
        .ITEM (P_LIST         .L_LIST_2          .CONTINUES        .CAN_TRUNCATE     .3
                 .0 .0 .0 .0 .0)
        .ITEM (P_LITERAL       .H_LITERAL         .CHAIN_ENDS       .CAN_TRUNCATE     .3
                .NOT_RIF       .NOT_IIF           .DO_OUTNJ         .DO_GETNUM        .NOT_IIT)
        .ITEM (P_LM            .H_LEFT_MARGIN     .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .NOT_IIF           .DO_OUTNJ         .DO_GETNUM        .NOT_IIT)
        .ITEM (P_LO            .H_LAYOUT          .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .IIF               .DO_OUTNJ         .DO_GETNUM        .IIT)
        .ITEM (P_LOWER         .L_LOWER_2         .CONTINUES        .CAN_TRUNCATE     .3
                 .0 .0 .0 .0 .0)
        .ITEM (P_LS            .H_LIST            .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .NOT_IIF           .DO_OUTNJ         .DO_GETNUM        .NOT_IIT)
        .ITEM (P_LT            .H_LITERAL         .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .NOT_IIF           .DO_OUTNJ         .DO_GETNUM        .NOT_IIT)
        .ITEM (P_N             .L_NO_2            .CONTINUES        .ABBREVIATION     .1
                 .0 .0 .0 .0 .0)
        .ITEM (P_NAJ           .H_NO_AUTOJUSTIF   .CHAIN_ENDS       .ABBREVIATION     .3
                .NOT_RIF       .IIF               .DONT_OUTNJ       .DONT_GETNUM      .IIT)
        .ITEM (P_NAP           .H_NO_AUTOPARAGR   .CHAIN_ENDS       .ABBREVIATION     .3
                .NOT_RIF       .NOT_IIF           .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_NAST          .H_NO_AUTOSUBTIT   .CHAIN_ENDS       .ABBREVIATION     .4
                .NOT_RIF       .IIF               .DONT_OUTNJ       .DONT_GETNUM      .IIT)
        .ITEM (P_NAT           .H_NO_AUTOTABLE    .CHAIN_ENDS       .ABBREVIATION     .3
                .NOT_RIF       .NOT_IIF           .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_NATI          .H_NO_AUTOTITLE    .CHAIN_ENDS       .ABBREVIATION     .4
                .NOT_RIF       .NOT_IIF           .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_NC            .H_NO_CHAPTER      .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .IIF               .DONT_OUTNJ       .DONT_GETNUM      .IIT)
%FI

        .ITEM (P_NCC           .H_NO_CONTROL_CH   .CHAIN_ENDS       .ABBREVIATION     .3
                .NOT_RIF       .NOT_IIF           .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_ND            .H_NO_DATE         .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .IIF               .DONT_OUTNJ       .DONT_GETNUM      .IIT)
        .ITEM (P_NF            .H_NO_FILL         .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .NOT_IIF           .DO_OUTNJ         .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_NFL           .L_NOFLAGS_2       .CONTINUES        .ABBREVIATION     .3
                 .0 .0 .0 .0 .0)

%IF DSRPLUS %THEN
        .ITEM (P_NFN           .H_NUMBER_FOOTNO   .CHAIN_ENDS       .ABBREVIATION     .3
                .NOT_RIF       .IIF               .DONT_OUTNJ       .DONT_GETNUM      .IIT)
%FI

        .ITEM (P_NHD           .H_NO_HEADERS      .CHAIN_ENDS       .ABBREVIATION     .3
                .NOT_RIF       .IIF               .DONT_OUTNJ       .DONT_GETNUM      .IIT)
        .ITEM (P_NHY           .H_NO_HYPHENATIO   .CHAIN_ENDS       .ABBREVIATION     .3
                .NOT_RIF       .NOT_IIF           .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_NJ            .H_NO_JUSTIFY      .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .NOT_IIF           .DO_OUTNJ         .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_NK            .H_NO_KEEP         .CHAIN_ENDS       .ABBREVIATION     .2
                .NOT_RIF       .NOT_IIF           .DONT_OUTNJ       .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_NM            .L_NUMBER_2        .CONTINUES        .ABBREVIATION     .2
```

```
                .0 ,0 ,0 ,0 ,0)
        .ITEM (P_NMAX            .H_NUMBER_APPEND .CHAIN_ENDS      .ABBREVIATION   ,4
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DO_GETNUM      ,IIT)
        .ITEM (P_NMCR            .H_NUMBER_CHAPTE .CHAIN_ENDS      .ABBREVIATION   ,4
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DO_GETNUM      ,IIT)
%IF DSRPLUS %THEN
        .ITEM (P_NMEX            .H_NUMBER_EXAMPL .CHAIN_ENDS      .ABBREVIATION   ,4
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DO_GETNUM      ,IIT)
        .ITEM (P_NMFG            .H_NUMBER_FIGURE .CHAIN_ENDS      .ABBREVIATION   ,4
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DO_GETNUM      ,IIT)
%FI

        .ITEM (P_NMLS            .H_NUMBER_LIST   .CHAIN_ENDS      .ABBREVIATION   ,4
               .NOT_RIF          .NOT_IIF         .DONT_OUTNJ      .DONT_GETNUM    ,NOT_IIT)
        .ITEM (P_NMLV            .H_NUMBER_LEVEL  .CHAIN_ENDS      .ABBREVIATION   ,4
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DONT_GETNUM    ,IIT)
        .ITEM (P_NMNDX           .H_NUMBER_INDEX  .CHAIN_ENDS      .ABBREVIATION   ,5
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DONT_GETNUM    ,IIT)
        .ITEM (P_NMPG            .H_NUMBER_PAGE   .CHAIN_ENDS      .ABBREVIATION   ,4
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DO_GETNUM      ,IIT)
        .ITEM (P_NMR             .H_NUMBER_RUNNIN .CHAIN_ENDS      .ABBREVIATION   ,3
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DO_GETNUM      ,IIT)
        .ITEM (P_NMSPG           .H_NUMBER_SUBPAG .CHAIN_ENDS      .ABBREVIATION   ,5
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DO_GETNUM      ,IIT)
%IF DSRPLUS %THEN
        .ITEM (P_NMTB            .H_NUMBER_TABLE  .CHAIN_ENDS      .ABBREVIATION   ,4
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DO_GETNUM      ,IIT)
        .ITEM (P_NNF             .H_NO_NUMBER_FOO .CHAIN_ENDS      .ABBREVIATION   ,3
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DONT_GETNUM    ,IIT)
%FI

        .ITEM (P_NNM             .H_NO_NUMBER     .CHAIN_ENDS      .ABBREVIATION   ,3
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DONT_GETNUM    ,IIT)
        .ITEM (P_NO              .L_NO_2          .CONTINUES       .ABBREVIATION   ,2
                .0 ,0 ,0 ,0 ,0)
        .ITEM (P_NOAUTOJUSTIFY   .H_NO_AUTOJUSTIF .CHAIN_ENDS      .CAN_TRUNCATE   ,7
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DONT_GETNUM    ,IIT)
        .ITEM (P_NOAUTOPARAGRA   .H_NO_AUTOPARAGR .CHAIN_ENDS      .CAN_TRUNCATE   ,7
               .NOT_RIF          .NOT_IIF         .DONT_OUTNJ      .DONT_GETNUM    ,NOT_IIT)
        .ITEM (P_NOAUTOSUBTITL   .H_NO_AUTOSUBTIT .CHAIN_ENDS      .CAN_TRUNCATE   ,7
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DONT_GETNUM    ,IIT)
        .ITEM (P_NOAUTOTABLE     .H_NO_AUTOTABLE  .CHAIN_ENDS      .CAN_TRUNCATE   ,7
               .NOT_RIF          .NOT_IIF         .DONT_OUTNJ      .DONT_GETNUM    ,NOT_IIT)
%IF DSRPLUS %THEN
        .ITEM (P_NOAUTOTITLE     .H_NO_AUTOTITLE  .CHAIN_ENDS      .CAN_TRUNCATE   ,3
               .NOT_RIF          .IIF             .DONT_OUTNJ      .DONT_GETNUM    ,IIT)
        .ITEM (P_NOCHAPTER       .H_NO_CHAPTER    .CHAIN_ENDS      .CAN_TRUNCATE   ,4
                .0 ,0 ,0 ,0 ,0)
%FI

        .ITEM (P_NOCONTROL       .L_NOCONTROL_2   .CONTINUES       .CAN_TRUNCATE   ,3
                .0 ,0 ,0 ,0 ,0)
        .ITEM (P_NODATE          .H_NO_DATE       .CHAIN_ENDS      .CAN_TRUNCATE   ,3
```

```
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DONT_GETNUM        .IIT)
        .ITEM (P_NOFILL          .H_NO_FILL          .CHAIN_ENDS         .CAN_TRUNCATE       .4
                .NOT_RIF          .NOT_IIF            .DO_OUTNJ           .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_NOFLAGS         .L_NOFLAGS_2        .CONTINUES          .CAN_TRUNCATE       .4
                .0 ,0 ,0 ,0 ,0)
        .ITEM (P_NOHEADERS       .H_NO_HEADERS       .CHAIN_ENDS         .CAN_TRUNCATE       .4
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DONT_GETNUM        .IIT)
        .ITEM (P_NOHYPHENATION   .H_NO_HYPHENATIO    .CHAIN_ENDS         .CAN_TRUNCATE       .4
                .NOT_RIF          .NOT_IIF            .DONT_OUTNJ         .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_NOJUSTIFY       .H_NO_JUSTIFY       .CHAIN_ENDS         .CAN_TRUNCATE       .3
                .NOT_RIF          .NOT_IIF            .DO_OUTNJ           .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_NOKEEP          .H_NO_KEEP          .CHAIN_ENDS         .CAN_TRUNCATE       .3
                .NOT_RIF          .NOT_IIF            .DONT_OUTNJ         .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_NONUMBER        .H_NO_NUMBER        .CHAIN_ENDS         .CAN_TRUNCATE       .3
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DONT_GETNUM        .IIT)
        .ITEM (P_NOPAGING        .H_NO_PAGING        .CHAIN_ENDS         .CAN_TRUNCATE       .4
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DONT_GETNUM        .IIT)
        .ITEM (P_NOPERIOD        .H_NO_PERIOD        .CHAIN_ENDS         .CAN_TRUNCATE       .4
                .NOT_RIF          .NOT_IIF            .DONT_OUTNJ         .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_NOSPACE         .H_NO_SPACE         .CHAIN_ENDS         .CAN_TRUNCATE       .4
                .NOT_RIF          .NOT_IIF            .DONT_OUTNJ         .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_NOSUBTITLE      .H_NO_SUBTITLE      .CHAIN_ENDS         .CAN_TRUNCATE       .4
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DONT_GETNUM        .IIT)
        .ITEM (P_NOTE            .H_NOTE             .CHAIN_ENDS         .CAN_TRUNCATE       .3
                .NOT_RIF          .NOT_IIF            .DO_OUTNJ           .DONT_GETNUM        .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_NOTOPNOTE       .H_NO_TOPNOTE       .CHAIN_ENDS         .CAN_TRUNCATE       .4
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DO_GETNUM          .IIT)
%FI

        .ITEM (P_NPA             .H_NO_PAGING        .CHAIN_ENDS         .ABBREVIATION       .3
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DONT_GETNUM        .IIT)
        .ITEM (P_NPR             .H_NO_PERIOD        .CHAIN_ENDS         .ABBREVIATION       .3
                .NOT_RIF          .NOT_IIF            .DONT_OUTNJ         .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_NSP             .H_NO_SPACE         .CHAIN_ENDS         .ABBREVIATION       .3
                .NOT_RIF          .NOT_IIF            .DONT_OUTNJ         .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_NST             .H_NO_SUBTITLE      .CHAIN_ENDS         .ABBREVIATION       .3
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DONT_GETNUM        .IIT)
        .ITEM (P_NT              .H_NOTE             .CHAIN_ENDS         .ABBREVIATION       .2
                .NOT_RIF          .NOT_IIF            .DO_OUTNJ           .DONT_GETNUM        .NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_NTN             .H_NO_TOPNOTE       .CHAIN_ENDS         .ABBREVIATION       .3
                .NOT_RIF          .IIF                .DONT_OUTNJ         .DO_GETNUM          .IIT)
%FI

        .ITEM (P_NUMBER          .L_NUMBER_2         .CONTINUES          .CAN_TRUNCATE       .2
                .0 ,0 ,0 ,0 ,0)
        .ITEM (P_P               .H_PARAGRAPH        .CHAIN_ENDS         .ABBREVIATION       .1
                .NOT_RIF          .NOT_IIF            .DO_OUTNJ           .DONT_GETNUM        .NOT_IIT)
        .ITEM (P_PA              .H_PAGING           .CHAIN_ENDS         .ABBREVIATION       .2
                .NOT_RIF          .IIF                .DO_OUTNJ           .DONT_GETNUM        .IIT)
        .ITEM (P_PAGE            .L_PAGE_2           .CONTINUES          .CAN_TRUNCATE       .4
                .0 ,0 ,0 ,0 ,0)
        .ITEM (P_PAGING          .H_PAGING           .CHAIN_ENDS         .CAN_TRUNCATE       .4
```

```
                    .NOT_RIF          .IIF              .DO_OUTNJ          .DONT_GETNUM      .IIT)
          .ITEM (P_PAPER            .L_PAPER_2        .CONTINUES         .CAN_TRUNCATE     .3
                 .0 .0 .0 .0 .0)
          .ITEM (P_PARAGRAPH        .H_PARAGRAPH      .CHAIN_ENDS        .CAN_TRUNCATE     .3
                    .NOT_RIF          .NOT_IIF          .DO_OUTNJ          .DONT_GETNUM      .NOT_IIT)
          .ITEM (P_PERIOD           .H_PERIOD         .CHAIN_ENDS        .CAN_TRUNCATE     .2
                    .NOT_RIF          .NOT_IIF          .DONT_OUTNJ        .DONT_GETNUM      .NOT_IIT)
          .ITEM (P_PG               .H_PAGE           .CHAIN_ENDS        .ABBREVIATION     .2
                    .NOT_RIF          .IIF              .DO_OUTNJ          .DONT_GETNUM      .IIT)
          .ITEM (P_PR               .H_PERIOD         .CHAIN_ENDS        .ABBREVIATION     .2
                    .NOT_RIF          .NOT_IIF          .DONT_OUTNJ        .DONT_GETNUM      .NOT_IIT)
          .ITEM (P_PRINT            .L_PRINT_2        .CONTINUES         .CAN_TRUNCATE     .3
                 .0 .0 .0 .0 .0)
          .ITEM (P_PS               .H_PAGE_SIZE      .CHAIN_ENDS        .ABBREVIATION     .2
                    .NOT_RIF          .IIF              .DO_OUTNJ          .DONT_GETNUM      .IIT)
          .ITEM (P_PX               .H_PRINT_INDEX    .CHAIN_ENDS        .ABBREVIATION     .2
                    .NOT_RIF          .IIF              .DO_OUTNJ          .DONT_GETNUM      .IIT)
          .ITEM (P_R                .H_RIGHT          .CHAIN_ENDS        .ABBREVIATION     .1
                    .NOT_RIF          .NOT_IIF          .DO_OUTNJ          .DO_GETNUM        .NOT_IIT)
%IF DSRPLUS %THEN
          .ITEM (P_REFERENCEPOINT .H_REFERENCEPOIN .CHAIN_ENDS          .CAN_TRUNCATE     .3
                 .NOT_RIF          .IIF              .DONT_OUTNJ          .DONT_GETNUM      .IIT)
%FI
          .ITEM (P_REPEAT           .H_REPEAT         .CHAIN_ENDS        .CAN_TRUNCATE     .3
                    .NOT_RIF          .NOT_IIF          .DONT_OUTNJ        .DO_GETNUM        .NOT_IIT)
          .ITEM (P_REQUIRE          .H_REQUIRE        .CHAIN_ENDS        .CAN_TRUNCATE     .3
                    .NOT_RIF          .NOT_IIF          .DONT_OUTNJ        .DONT_GETNUM      .NOT_IIT)
          .ITEM (P_RESTORE          .H_RESTORE        .CHAIN_ENDS        .CAN_TRUNCATE     .3
                    .NOT_RIF          .NOT_IIF          .DO_OUTNJ          .DONT_GETNUM      .NOT_IIT)
          .ITEM (P_RIGHT            .L_RIGHT_2        .CONTINUES         .CAN_TRUNCATE     .2
                 .0 .0 .0 .0 .0)
          .ITEM (P_RM               .H_RIGHT_MARGIN   .CHAIN_ENDS        .ABBREVIATION     .2
                    .NOT_RIF          .NOT_IIF          .DO_OUTNJ          .DO_GETNUM        .NOT_IIT)
          .ITEM (P_RPT              .H_REPEAT         .CHAIN_ENDS        .ABBREVIATION     .3
                    .NOT_RIF          .NOT_IIF          .DONT_OUTNJ        .DO_GETNUM        .NOT_IIT)
          .ITEM (P_S                .H_SKIP           .CHAIN_ENDS        .ABBREVIATION     .1
                    .NOT_RIF          .NOT_IIF          .DO_OUTNJ          .DO_GETNUM        .NOT_IIT)
          .ITEM (P_SAVE             .L_SAVE_2         .CONTINUES         .CAN_TRUNCATE     .2
                 .0 .0 .0 .0 .0)
%IF DSRPLUS %THEN
          .ITEM (P_SCNT             .H_SET_COUNTER    .CHAIN_ENDS        .ABBREVIATION     .4
                    .NOT_RIF          .NOT_IIF          .DO_OUTNJ          .DONT_GETNUM      .NOT_IIT)
          .ITEM (P_SCO              .H_SEND_CONTENTS .CHAIN_ENDS         .ABBREVIATION     .3
                    .NOT_RIF          .IIF              .DO_OUTNJ          .DONT_GETNUM      .IIT)
%FI
          .ITEM (P_SD               .H_STANDARD       .CHAIN_ENDS        .ABBREVIATION     .2
                    .NOT_RIF          .IIF              .DO_OUTNJ          .DO_GETNUM        .IIT)
          .ITEM (P_SDT              .H_SET_DATE       .CHAIN_ENDS        .ABBREVIATION     .3
                    .NOT_RIF          .NOT_IIF          .DO_OUTNJ          .DONT_GETNUM      .NOT_IIT)
          .ITEM (P_SEND             .L_SEND_2         .CONTINUES         .CAN_TRUNCATE     .3
                 .0 .0 .0 .0 .0)
```

```
        .ITEM (P_SET          .L_SET_2            .CONTINUES        .CAN_TRUNCATE   ,3
         .0 .0 .0 .0 ,0)
        .ITEM (P_SKIP         .H_SKIP             .CHAIN_ENDS       .CAN_TRUNCATE   ,2
         .NOT_RIF             .NOT_IIF            .DO_OUTNJ         .DO_GETNUM      ,NOT_IIT)
        .ITEM (P_SL           .H_SET_LEVEL        .CHAIN_ENDS       .ABBREVIATION   ,2
         .NOT_RIF             .IIF               .DO_OUTNJ         .DO_GETNUM      ,IIT)
        .ITEM (P_SP           .H_SPACING          .CHAIN_ENDS       .ABBREVIATION   ,2
         .NOT_RIF             .NOT_IIF            .DO_OUTNJ         .DO_GETNUM      ,NOT_IIT)
        .ITEM (P_SPACING      .H_SPACING          .CHAIN_ENDS       .CAN_TRUNCATE   ,2
         .NOT_RIF             .NOT_IIF            .DO_OUTNJ         .DO_GETNUM      ,NOT_IIT)
        .ITEM (P_SPG          .H_SUBPAGE          .CHAIN_ENDS       .ABBREVIATION   ,3
         .NOT_RIF             .IIF               .DO_OUTNJ         .DONT_GETNUM    ,IIT)
        .ITEM (P_SPR          .H_SET_PARAGRAPH    .CHAIN_ENDS       .ABBREVIATION   ,3
         .NOT_RIF             .NOT_IIF            .DO_OUTNJ         .DONT_GETNUM    ,NOT_IIT)
        .ITEM (P_ST           .H_SUBTITLE         .CHAIN_ENDS       .ABBREVIATION   ,2
         .NOT_RIF             .IIF               .DO_OUTNJ         .DONT_GETNUM    ,IIT)
        .ITEM (P_STANDARD     .H_STANDARD         .CHAIN_ENDS       .CAN_TRUNCATE   ,4
         .NOT_RIF             .IIF               .DO_OUTNJ         .DO_GETNUM      ,IIT)

%IF DSRPLUS %THEN
        .ITEM (P_STAP         .H_STYLE_APPENDI    .CHAIN_ENDS       .ABBREVIATION   ,4
         .NOT_RIF             .IIF               .DO_OUTNJ         .DONT_GETNUM    ,IIT)
%FI

        .ITEM (P_STC          .H_SEND_TOC         .CHAIN_ENDS       .ABBREVIATION   ,3
         .NOT_RIF             .IIF               .DO_OUTNJ         .DO_GETNUM      ,IIT)

%IF DSRPLUS %THEN
        .ITEM (P_STCH         .H_STYLE_CHAPTER    .CHAIN_ENDS       .ABBREVIATION   ,4
         .NOT_RIF             .IIF               .DO_OUTNJ         .DONT_GETNUM    ,IIT)
%FI

        .ITEM (P_STDT         .H_STYLE_DATE       .CHAIN_ENDS       .ABBREVIATION   ,4
         .NOT_RIF             .NOT_IIF            .DO_OUTNJ         .DONT_GETNUM    ,NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_STEX         .H_STYLE_EXAMPLE    .CHAIN_ENDS       .ABBREVIATION   ,4
         .NOT_RIF             .IIF               .DO_OUTNJ         .DONT_GETNUM    ,IIT)
        .ITEM (P_STFG         .H_STYLE_FIGURE     .CHAIN_ENDS       .ABBREVIATION   ,4
         .NOT_RIF             .IIF               .DO_OUTNJ         .DONT_GETNUM    ,IIT)
%FI

        .ITEM (P_STHL         .H_STYLE_HEADERS    .CHAIN_ENDS       .ABBREVIATION   ,4
         .NOT_RIF             .IIF               .DO_OUTNJ         .DONT_GETNUM    ,IIT)
        .ITEM (P_STM          .H_SET_TIME         .CHAIN_ENDS       .ABBREVIATION   ,3
         .NOT_RIF             .NOT_IIF            .DO_OUTNJ         .DONT_GETNUM    ,NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_STTB         .H_STYLE_TABLE      .CHAIN_ENDS       .ABBREVIATION   ,4
         .NOT_RIF             .IIF               .DO_OUTNJ         .DONT_GETNUM    ,IIT)
%FI

        .ITEM (P_STTM         .H_STYLE_TIME       .CHAIN_ENDS       .ABBREVIATION   ,4
         .NOT_RIF             .NOT_IIF            .DO_OUTNJ         .DONT_GETNUM    ,NOT_IIT)

%IF DSRPLUS %THEN
```

```
      .ITEM (P_STXT          .H_SET_TEXTSTRIN .CHAIN_ENDS      .ABBREVIATION    .4
                    .NOT_RIF         .NOT_IIF        .DO_OUTNJ        .DONT_GETNUM    .NOT_IIT)
%FI

      .ITEM (P_STYLE         .L_STYLE_2       .CONTINUES       .CAN_TRUNCATE    .3
              .0 .0 .0 .0 .0)
      .ITEM (P_SUBINDEX      .H_SUBINDEX      .CHAIN_ENDS      .CAN_TRUNCATE    .4
                    .NOT_RIF         .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
      .ITEM (P_SUBPAGE       .H_SUBPAGE       .CHAIN_ENDS      .CAN_TRUNCATE    .4
                    .NOT_RIF         .IIF            .DO_OUTNJ        .DONT_GETNUM    .IIT)
      .ITEM (P_SUBTITLE      .H_SUBTITLE      .CHAIN_ENDS      .CAN_TRUNCATE    .5
                    .NOT_RIF         .IIF            .DO_OUTNJ        .DONT_GETNUM    .IIT)
      .ITEM (P_SUBTTL        .H_SUBTITLE      .CHAIN_ENDS      .CAN_TRUNCATE    .5
                    .NOT_RIF         .IIF            .DO_OUTNJ        .DONT_GETNUM    .IIT)
      .ITEM (P_T             .H_TITLE         .CHAIN_ENDS      .ABBREVIATION    .1
                    .NOT_RIF         .IIF            .DO_OUTNJ        .DONT_GETNUM    .IIT)
      .ITEM (P_TAB           .L_TAB_2         .CONTINUES       .CAN_TRUNCATE    .2
              .0 .0 .0 .0 .0)
      .ITEM (P_TEST          .L_TEST_2        .CONTINUES       .CAN_TRUNCATE    .2
              .0 .0 .0 .0 .0)
      .ITEM (P_TITLE         .H_TITLE         .CHAIN_ENDS      .CAN_TRUNCATE    .2
                    .NOT_RIF         .IIF            .DO_OUTNJ        .DONT_GETNUM    .IIT)

%IF DSRPLUS %THEN
      .ITEM (P_TN            .L_TOPNOTE_2     .CONTINUES       .ABBREVIATION    .2
              .0 .0 .0 .0 .0)
      .ITEM (P_TOPNOTE       .L_TOPNOTE_2     .CONTINUES       .CAN_TRUNCATE    .2
              .0 .0 .0 .0 .0)
%FI

      .ITEM (P_TP            .H_TEST_PAGE     .CHAIN_ENDS      .ABBREVIATION    .2
                    .NOT_RIF         .IIF            .DO_OUTNJ        .DO_GETNUM      .IIT)
      .ITEM (P_TS            .H_TAB_STOPS     .CHAIN_ENDS      .ABBREVIATION    .2
                    .NOT_RIF         .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
      .ITEM (P_UC            .H_UPPER_CASE    .CHAIN_ENDS      .ABBREVIATION    .2
                    .NOT_RIF         .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
      .ITEM (P_UPPER         .L_UPPER_2       .CONTINUES       .CAN_TRUNCATE    .1
              .0 .0 .0 .0 .0)
      .ITEM (P_VARIABLE      .H_VARIABLE      .CHAIN_ENDS      .CAN_TRUNCATE    .1
                    .NOT_RIF         .IIF            .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
      .ITEM (P_VR            .H_VARIABLE      .CHAIN_ENDS      .ABBREVIATION    .2
                    .NOT_RIF         .IIF            .DONT_OUTNJ      .DONT_GETNUM    .NOT_IIT)
      .ITEM (P_X             .H_SUBINDEX      .CHAIN_ENDS      .ABBREVIATION    .1
                    .NOT_RIF         .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .IIT)
      .ITEM (P_XLOWER        .H_XLOWER        .CHAIN_ENDS      .CAN_TRUNCATE    .2
                    .NOT_RIF         .IIF            .DONT_OUTNJ      .DONT_GETNUM    .IIT)

%IF DSRPLUS %THEN
      .ITEM (P_XPLUS         .H_XPLUS         .CHAIN_ENDS      .CAN_TRUNCATE    .2
                    .NOT_RIF         .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .IIT)
%FI

      .ITEM (P_XUPPER        .H_XUPPER        .CHAIN_ENDS      .CAN_TRUNCATE    .2
                    .NOT_RIF         .IIF            .DONT_OUTNJ      .DONT_GETNUM    .IIT)
      .ITEM (P_Y             .H_ENTRY         .CHAIN_ENDS      .ABBREVIATION    .1
                    .NOT_RIF         .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM    .IIT)
```

```
%IF DSRPLUS %THEN
        .ITEM (P_YPLUS            .H_YPLUS          .CHAIN_ENDS       .CAN_TRUNCATE      ,2
                 .NOT_RIF         .NOT_IIF          .DONT_OUTNJ       .DONT_GETNUM       ;IIT)
%FI

        ) %;

MACRO L_PRINT_2 = PLIT (
        ITEM (P_INDEX             .H_PRINT_INDEX    .CHAIN_ENDS       .CAN_TRUNCATE      ,1
                 .NOT_RIF         .IIF              .DO_OUTNJ         .DONT_GETNUM       ;IIT)
        ) %;

MACRO L_RIGHT_2 = PLIT (
        ITEM (P_OO               .H_RIGHT          .CHAIN_ENDS       .ABBREVIATION      ,1
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DO_GETNUM         ,NOT_IIT)
        .ITEM (P_MARGIN          .H_RIGHT_MARGIN   .CHAIN_ENDS       .CAN_TRUNCATE      ,1
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DO_GETNUM         ,NOT_IIT)
        ) %;

MACRO L_SAVE_2 = PLIT (
        ITEM (P_OO               .H_SAVE           .CHAIN_ENDS       .CAN_TRUNCATE      ,1
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DONT_GETNUM       ,NOT_IIT)
        .ITEM (P_ALL             .H_SAVE_ALL       .CHAIN_ENDS       .CAN_TRUNCATE      ,1
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DONT_GETNUM       ,NOT_IIT)
        ) %;

MACRO L_SEND_2 = PLIT (

%IF DSRPLUS %THEN
        ITEM (P_CONTENTS         .H_SEND_CONTENTS,CHAIN_ENDS         .CAN_TRUNCATE      ,1
                 .NOT_RIF         .IIF              .DO_OUTNJ         .DONT_GETNUM       ;IIT)
%FI

        ITEM (P_TOC              .H_SEND_TOC       .CHAIN_ENDS       .CAN_TRUNCATE      ,1
                 .NOT_RIF         .IIF              .DO_OUTNJ         .DO_GETNUM         ;IIT)
        ) %;

MACRO L_SET_2 = PLIT (

%IF DSRPLUS %THEN
        ITEM (P_COUNTER          .H_SET_COUNTER    .CHAIN_ENDS       .CAN_TRUNCATE      ,1
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DONT_GETNUM       ,NOT_IIT),
%FI

        ITEM (P_DATE             .H_SET_DATE       .CHAIN_ENDS       .CAN_TRUNCATE      ,1
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DONT_GETNUM       ,NOT_IIT)
        .ITEM (P_LEVEL           .H_SET_LEVEL      .CHAIN_ENDS       .CAN_TRUNCATE      ,1
                 .NOT_RIF         .IIF              .DO_OUTNJ         .DO_GETNUM         ;IIT)
        .ITEM (P_PARAGRAPH       .H_SET_PARAGRAPH,CHAIN_ENDS         .CAN_TRUNCATE      ,1
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DONT_GETNUM       ,NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_TEXTSTRING      .H_SET_TEXTSTRIN,CHAIN_ENDS         .CAN_TRUNCATE      ,2
                 .NOT_RIF         .NOT_IIF          .DO_OUTNJ         .DONT_GETNUM       ,NOT_IIT)
```

```
%FI

        .ITEM (P_TIME             .H_SET_TIME      .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,NOT_IIF         ,DO_OUTNJ         ,DONT_GETNUM        ,NOT_IIT)
        ) %;

MACRO L_STYLE_2 = PLIT (

%IF DSRPLUS %THEN
        ITEM (P_APPENDIX          .H_STYLE_APPENDI .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,IIF             ,DO_OUTNJ         ,DONT_GETNUM        ,IIT)
        .ITEM (P_CHAPTER          .H_STYLE_CHAPTER .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,IIF             ,DO_OUTNJ         ,DONT_GETNUM        ,IIT)
%FI
        .

        ITEM (P_DATE              .H_STYLE_DATE    .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,NOT_IIF         ,DO_OUTNJ         ,DONT_GETNUM        ,NOT_IIT)

%IF DSRPLUS %THEN
        .ITEM (P_EXAMPLE          .H_STYLE_EXAMPLE .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,IIF             ,DO_OUTNJ         ,DONT_GETNUM        ,IIT)
        .ITEM (P_FIGURE           .H_STYLE_FIGURE  .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,IIF             ,DO_OUTNJ         ,DONT_GETNUM        ,IIT)
%FI

        .ITEM (P_HEADERS          .H_STYLE_HEADERS .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,IIF             ,DO_OUTNJ         ,DONT_GETNUM        ,IIT)

%IF DSRPLUS %THEN
        .ITEM (P_TABLE            .H_STYLE_TABLE   .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,IIF             ,DO_OUTNJ         ,DONT_GETNUM        ,IIT)
%FI

        .ITEM (P_TIME             .H_STYLE_TIME    .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,NOT_IIF         ,DO_OUTNJ         ,DONT_GETNUM        ,NOT_IIT)
        ) %;

MACRO L_TAB_2 = PLIT (
        ITEM (P_STOPS             .H_TAB_STOPS     .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,NOT_IIF         ,DONT_OUTNJ       ,DONT_GETNUM        ,NOT_IIT)
        ) %;

MACRO L_TEST_2 = PLIT (
        ITEM (P_PAGE              .H_TEST_PAGE     .CHAIN_ENDS       .CAN_TRUNCATE       ,1
                 ,NOT_RIF         ,IIF             ,DO_OUTNJ         ,DO_GETNUM          ,IIT)
        ) %;

%IF DSRPLUS %THEN

MACRO L_TOPNOTE_2 = PLIT (
        ITEM (P_OO                .H_TOPNOTE_ON    .CHAIN_ENDS       .ABBREVIATION       ,1
                 ,NOT_RIF         ,IIF             ,DONT_OUTNJ       ,DO_GETNUM          ,IIT)
        .ITEM (P_ON               .H_TOPNOTE_ON    .CHAIN_ENDS       .CAN_TRUNCATE       ,2
                 ,NOT_RIF         ,IIF             ,DONT_OUTNJ       ,DO_GETNUM          ,IIT)
        ) %;
```

```
%FI

MACRO L_UPPER_2 = PLIT (
        ITEM (P_CASE            ,H_UPPER_CASE   ,CHAIN_ENDS      ,CAN_TRUNCATE    ,1
              ,NOT_RIF          ,NOT_IIF        ,DONT_OUTNJ      ,DONT_GETNUM     ,NOT_IIT)
     ) %;
```

```
BIND P_01                 = CPLIT ('!');
BIND P_OO                 = CPLIT ('@');
BIND P_ACCEPT             = CPLIT ('ACCEPT');
BIND P_ALL                = CPLIT ('ALL');

%IF DSRPLUS %THEN
BIND P_ALWAYS             = CPLIT ('ALWAYS');
%FI

BIND P_AJ                 = CPLIT ('AJ');
BIND P_AP                 = CPLIT ('AP');
BIND P_APPENDIX           = CPLIT ('APPENDIX');
BIND P_AST                = CPLIT ('AST');
BIND P_AT                 = CPLIT ('AT');

%IF DSRPLUS %THEN
BIND P_ATI                = CPLIT ('ATI');
%FI

BIND P_AUTOJUSTIFY        = CPLIT ('AUTOJUSTIFY');
BIND P_AUTOPARAGRAPH      = CPLIT ('AUTOPARAGRAPH');
BIND P_AUTOSUBTITLE       = CPLIT ('AUTOSUBTITLE');
BIND P_AUTOTABLE          = CPLIT ('AUTOTABLE');

%IF DSRPLUS %THEN
BIND P_AUTOTITLE          = CPLIT ('AUTOTITLE');
%FI

BIND P_AX                 = CPLIT ('AX');
BIND P_B                  = CPLIT ('B');
BIND P_BARS               = CPLIT ('BARS');
BIND P_BB                 = CPLIT ('BB');
BIND P_BEGIN              = CPLIT ('BEGIN');
BIND P_BLANK              = CPLIT ('BLANK');

%IF DSRPLUS %THEN
BIND P_BP                 = CPLIT ('BP');
%FI

BIND P_BOLD               = CPLIT ('BOLD');
BIND P_BOLDING            = CPLIT ('BOLDING');
BIND P_BR                 = CPLIT ('BR');
BIND P_BREAK              = CPLIT ('BREAK');

%IF DSRPLUS %THEN
BIND P_BTN                = CPLIT ('BTN');
%FI

BIND P_C                  = CPLIT ('C');
BIND P_CAPITALIZE         = CPLIT ('CAPITALIZE');
BIND P_CASE               = CPLIT ('CASE');
BIND P_CC                 = CPLIT ('CC');
BIND P_CENTER             = CPLIT ('CENTER');
BIND P_CENTRE             = CPLIT ('CENTRE');
BIND P_CH                 = CPLIT ('CH');
BIND P_CHAPTER            = CPLIT ('CHAPTER');
```

```
%IF DSRPLUS %THEN
BIND P_CHAPTERS          = CPLIT ('CHAPTERS');
%FI

BIND P_CHARACTERS        = CPLIT ('CHARACTERS');
BIND P_COMMENT           = CPLIT ('COMMENT');

%IF DSRPLUS %THEN
BIND P_CONTENTS          = CPLIT ('CONTENTS');
%FI

BIND P_CONTROL           = CPLIT ('CONTROL');

%IF DSRPLUS %THEN
BIND P_COUNTER           = CPLIT ('COUNTER');
%FI

BIND P_D                 = CPLIT ('D');

%IF DSRPLUS %THEN
BIND P_DAMMIT            = CPLIT ('DAMMIT');
%FI

BIND P_DATE              = CPLIT ('DATE');
BIND P_DAX               = CPLIT ('DAX');
BIND P_DAY               = CPLIT ('DAY');
BIND P_DBB               = CPLIT ('DBB');
BIND P_DBO               = CPLIT ('DBO');

%IF DSRPLUS %THEN
BIND P_DC                = CPLIT ('DC');
BIND P_DCO               = CPLIT ('DCO');
%FI

BIND P_DCH               = CPLIT ('DCH');
BIND P_DDD               = CPLIT ('DDD');
BIND P_DEFERRED          = CPLIT ('DEFERRED');

%IF DSRPLUS %THEN
BIND P_DEX               = CPLIT ('DEX');
BIND P_DFG               = CPLIT ('DFG');
BIND P_DHE               = CPLIT ('DHE');
%FI

BIND P_DHH               = CPLIT ('DHH');
BIND P_DHL               = CPLIT ('DHL');
BIND P_DHY               = CPLIT ('DHY');
BIND P_DISABLE           = CPLIT ('DISABLE');
BIND P_DISPLAY           = CPLIT ('DISPLAY');
BIND P_DIX               = CPLIT ('DIX');
BIND P_DLE               = CPLIT ('DLE');
BIND P_DMM               = CPLIT ('DMM');
BIND P_DMO               = CPLIT ('DMO');
BIND P_DNM               = CPLIT ('DNM');
BIND P_DO                = CPLIT ('DO');
```

```
BIND P_DOV              = CPLIT ('DOV');
BIND P_DSP              = CPLIT ('DSP');
BIND P_DSS              = CPLIT ('DSS');

%IF DSRPLUS %THEN
BIND P_DT               = CPLIT ('DT');
BIND P_DTB              = CPLIT ('DTB');
%FI

BIND P_DTC              = CPLIT ('DTC');
BIND P_DUL              = CPLIT ('DUL');
BIND P_DX               = CPLIT ('DX');

%IF DSRPLUS %THEN
BIND P_DXP              = CPLIT ('DXP');
%FI

BIND P_DYY              = CPLIT ('DYY');
BIND P_E                = CPLIT ('E');
BIND P_EB               = CPLIT ('EB');
BIND P_EBB              = CPLIT ('EBB');
BIND P_EBO              = CPLIT ('EBO');
BIND P_EFN              = CPLIT ('EFN');
BIND P_EHY              = CPLIT ('EHY');
BIND P_EI               = CPLIT ('EI');
BIND P_EIX              = CPLIT ('EIX');
BIND P_EL               = CPLIT ('EL');
BIND P_ELI              = CPLIT ('ELI');
BIND P_ELEMENT          = CPLIT ('ELEMENT');
BIND P_ELEMENTS         = CPLIT ('ELEMENTS');
BIND P_ELS              = CPLIT ('ELS');
BIND P_ELSE             = CPLIT ('ELSE');
BIND P_EN               = CPLIT ('EN');
BIND P_ENABLE           = CPLIT ('ENABLE');
BIND P_END              = CPLIT ('END');
BIND P_ENDFOOTNOTE      = CPLIT ('ENDFOOTNOTE');
BIND P_ENDIF            = CPLIT ('ENDIF');
BIND P_ENTRY            = CPLIT ('ENTRY');
BIND P_EOV              = CPLIT ('EOV');

BIND P_ES               = CPLIT ('ES');
BIND P_ETC              = CPLIT ('ETC');

%IF DSRPLUS %THEN
BIND P_ETN              = CPLIT ('ETN');
BIND P_EXAMPLE          = CPLIT ('EXAMPLE');
BIND P_EXP              = CPLIT ('EXP');
%FI

BIND P_EUN              = CPLIT ('EUN');
BIND P_F                = CPLIT ('F');
BIND P_FG               = CPLIT ('FG');
BIND P_FGD              = CPLIT ('FGD');
BIND P_FIGURE           = CPLIT ('FIGURE');
BIND P_FILL             = CPLIT ('FILL');
BIND P_FIRST            = CPLIT ('FIRST');
```

```
BIND P_FL                    = CPLIT ('FL');
BIND P_FLAGS                 = CPLIT ('FLAGS');
BIND P_FN                    = CPLIT ('FN');
BIND P_FOOTNOTE              = CPLIT ('FOOTNOTE');
BIND P_FOOTNOTES             = CPLIT ('FOOTNOTES');
BIND P_FT                    = CPLIT ('FT');

%IF DSRPLUS %THEN
BIND P_FTA                   = CPLIT ('FTA');
%FI

BIND P_HD                    = CPLIT ('HD');

%IF DSRPLUS %THEN
BIND P_HE                    = CPLIT ('HE');
BIND P_HEADER                = CPLIT ('HEADER');
%FI

BIND P_HEADERS               = CPLIT ('HEADERS');

%IF DSRPLUS %THEN
BIND P_HF                    = CPLIT ('HF');
%FI

BIND P_HL                    = CPLIT ('HL');

%IF DSRPLUS %THEN
BIND P_HN                    = CPLIT ('HN');
%FI

BIND P_HOURS                 = CPLIT ('HOURS');

%IF DSRPLUS %THEN
BIND P_HT                    = CPLIT ('HT');
%FI

BIND P_HY                    = CPLIT ('HY');
BIND P_HYPHENATE             = CPLIT ('HYPHENATE');
BIND P_HYPHENATION           = CPLIT ('HYPHENATION');
BIND P_I                     = CPLIT ('I');
BIND P_IF                    = CPLIT ('IF');
BIND P_IFNOT                 = CPLIT ('IFNOT');
BIND P_IN                    = CPLIT ('IN');
BIND P_INDENT                = CPLIT ('INDENT');
BIND P_INDEX                 = CPLIT ('INDEX');
BIND P_INDEXING              = CPLIT ('INDEXING');
BIND P_IX                    = CPLIT ('IX');
BIND P_J                     = CPLIT ('J');
BIND P_JUSTIFY               = CPLIT ('JUSTIFY');
BIND P_KEEP                  = CPLIT ('KEEP');
BIND P_L                     = CPLIT ('L');
BIND P_LAYOUT                = CPLIT ('LAYOUT');
BIND P_LC                    = CPLIT ('LC');
BIND P_LE                    = CPLIT ('LE');
BIND P_LEFT                  = CPLIT ('LEFT');
BIND P_LEVEL                 = CPLIT ('LEVEL');
```

```
BIND P_LEVELS              = CPLIT ('LEVELS');
BIND P_LIST                = CPLIT ('LIST');
BIND P_LITERAL             = CPLIT ('LITERAL');
BIND P_LM                  = CPLIT ('LM');
BIND P_LO                  = CPLIT ('LO');
BIND P_LOWER               = CPLIT ('LOWER');
BIND P_LOWERCASE           = CPLIT ('LOWERCASE');
BIND P_LS                  = CPLIT ('LS');
BIND P_LT                  = CPLIT ('LT');
BIND P_MARGIN              = CPLIT ('MARGIN');
BIND P_MINUTES             = CPLIT ('MINUTES');
BIND P_MIXED               = CPLIT ('MIXED');
BIND P_MONTH               = CPLIT ('MONTH');
BIND P_N                   = CPLIT ('N');
BIND P_NAJ                 = CPLIT ('NAJ');
BIND P_NAP                 = CPLIT ('NAP');
BIND P_NAST                = CPLIT ('NAST');
BIND P_NAT                 = CPLIT ('NAT');

%IF DSRPLUS %THEN
BIND P_NATI                = CPLIT ('NATI');
BIND P_NC                  = CPLIT ('NC');
%FI

BIND P_NCC                 = CPLIT ('NCC');
BIND P_ND                  = CPLIT ('ND');
BIND P_NF                  = CPLIT ('NF');
BIND P_NFL                 = CPLIT ('NFL');

%IF DSRPLUS %THEN
BIND P_NFN                 = CPLIT ('NFN');
%FI

BIND P_NHD                 = CPLIT ('NHD');

%IF DSRPLUS %THEN
BIND P_NHN                 = CPLIT ('NHN');
%FI

BIND P_NHY                 = CPLIT ('NHY');
BIND P_NJ                  = CPLIT ('NJ');
BIND P_NK                  = CPLIT ('NK');
BIND P_NM                  = CPLIT ('NM');
BIND P_NMAX                = CPLIT ('NMAX');
BIND P_NMCH                = CPLIT ('NMCH');

%IF DSRPLUS %THEN
BIND P_NMEX                = CPLIT ('NMEX');
BIND P_NMFG                = CPLIT ('NMFG');
%FI

BIND P_NMLS                = CPLIT ('NMLS');
BIND P_NMLV                = CPLIT ('NMLV');
BIND P_NMNDX               = CPLIT ('NMNDX');
BIND P_NMPG                = CPLIT ('NMPG');
BIND P_NMR                 = CPLIT ('NMR');
```

```
BIND P_NMSPG              = CPLIT ('NMSPG');

%IF DSRPLUS %THEN
BIND P_NMTB               = CPLIT ('NMTB');
BIND P_NNF                = CPLIT ('NNF');
%FI

BIND P_NNM                = CPLIT ('NNM');
BIND P_NO                 = CPLIT ('NO');
BIND P_NOAUTOJUSTIFY      = CPLIT ('NOAUTOJUSTIFY');
BIND P_NOAUTOPARAGRA      = CPLIT ('NOAUTOPARAGRAPH');
BIND P_NOAUTOSUBTITL      = CPLIT ('NOAUTOSUBTITLE');
BIND P_NOAUTOTABLE        = CPLIT ('NOAUTOTABLE');

%IF DSRPLUS %THEN
BIND P_NOAUTOTITLE        = CPLIT ('NOAUTOTITLE');
BIND P_NOCHAPTER          = CPLIT ('NOCHAPTER');
%FI

BIND P_NOCONTROL          = CPLIT ('NOCONTROL');
BIND P_NODATE             = CPLIT ('NODATE');
BIND P_NOFILL             = CPLIT ('NOFILL');
BIND P_NOFLAGS            = CPLIT ('NOFLAGS');
BIND P_NOHEADERS          = CPLIT ('NOHEADERS');

%IF DSRPLUS %THEN
BIND P_NOTOPNOTE          = CPLIT ('NOTOPNOTE');
%FI
BIND P_NOHYPHENATION      = CPLIT ('NOHYPHENATION');
BIND P_NOJUSTIFY          = CPLIT ('NOJUSTIFY');
BIND P_NOKEEP             = CPLIT ('NOKEEP');
BIND P_NONUMBER           = CPLIT ('NONUMBER');
BIND P_NOPAGING           = CPLIT ('NOPAGING');
BIND P_NOPERIOD           = CPLIT ('NOPERIOD');

%IF DSRPLUS %THEN
BIND P_NOPERMUTE          = CPLIT ('NOPERMUTE');
%FI

BIND P_NOSPACE            = CPLIT ('NOSPACE');
BIND P_NOSUBTITLE         = CPLIT ('NOSUBTITLE');
BIND P_NOTE               = CPLIT ('NOTE');

%IF DSRPLUS %THEN
BIND P_NOW                = CPLIT ('NOW');
%FI

BIND P_NPA                = CPLIT ('NPA');
BIND P_NPR                = CPLIT ('NPR');
BIND P_NSP                = CPLIT ('NSP');
BIND P_NST                = CPLIT ('NST');
BIND P_NT                 = CPLIT ('NT');

%IF DSRPLUS %THEN
BIND P_NTN                = CPLIT ('NTN');
%FI
```

```
BIND P_NUMBER            = CPLIT ('NUMBER');
BIND P_ON                = CPLIT ('ON');
BIND P_OVERSTRIKE        = CPLIT ('OVERSTRIKE');
BIND P_OVERSTRIKING      = CPLIT ('OVERSTRIKING');
BIND P_P                 = CPLIT ('P');
BIND P_PA                = CPLIT ('PA');
BIND P_PAGE              = CPLIT ('PAGE');
BIND P_PAGING            = CPLIT ('PAGING');
BIND P_PAPER             = CPLIT ('PAPER');
BIND P_PARAGRAPH         = CPLIT ('PARAGRAPH');

%IF DSRPLUS %THEN
BIND P_PASSTHROUGH       = CPLIT ('PASSTHROUGH');
%FI

BIND P_PERIOD            = CPLIT ('PERIOD');
BIND P_PG                = CPLIT ('PG');
BIND P_PR                = CPLIT ('PR');
BIND P_PRINT             = CPLIT ('PRINT');
BIND P_PS                = CPLIT ('PS');
BIND P_PX                = CPLIT ('PX');
BIND P_QUOTE             = CPLIT ('QUOTE');
BIND P_R                 = CPLIT ('R');

%IF DSRPLUS %THEN
BIND P_REFERENCEPOINT    = CPLIT ('REFERENCEPOINT');
%FI

BIND P_REPEAT            = CPLIT ('REPEAT');
BIND P_RESTORE           = CPLIT ('RESTORE');
BIND P_REQUIRE           = CPLIT ('REQUIRE');
BIND P_RIGHT             = CPLIT ('RIGHT');
BIND P_RM                = CPLIT ('RM');
BIND P_RPT               = CPLIT ('RPT');
BIND P_RUNNING           = CPLIT ('RUNNING');
BIND P_S                 = CPLIT ('S');
BIND P_SAVE              = CPLIT ('SAVE');

%IF DSRPLUS %THEN
BIND P_SCO               = CPLIT ('SCO');
BIND P_SCNT              = CPLIT ('SCNT');
%FI

BIND P_SD                = CPLIT ('SD');
BIND P_SDT               = CPLIT ('SDT');
BIND P_SECONDS           = CPLIT ('SECONDS');
BIND P_SEND              = CPLIT ('SEND');
BIND P_SET               = CPLIT ('SET');
BIND P_SIZE              = CPLIT ('SIZE');
BIND P_SKIP              = CPLIT ('SKIP');
BIND P_SL                = CPLIT ('SL');
BIND P_SP                = CPLIT ('SP');
BIND P_SPACE             = CPLIT ('SPACE');
BIND P_SPACING           = CPLIT ('SPACING');
```

```
BIND P_SPG              = CPLIT ('SPG');
BIND P_SPR              = CPLIT ('SPR');
BIND P_ST               = CPLIT ('ST');
BIND P_STANDARD         = CPLIT ('STANDARD');

%IF DSRPLUS %THEN
BIND P_STAP             = CPLIT ('STAP');
%FI

BIND P_STC              = CPLIT ('STC');

%IF DSRPLUS %THEN
BIND P_STCH             = CPLIT ('STCH');
%FI

BIND P_STDT             = CPLIT ('STDT');

%IF DSRPLUS %THEN
BIND P_STEX             = CPLIT ('STEX');
BIND P_STFG             = CPLIT ('STFG');
%FI

BIND P_STHL             = CPLIT ('STHL');
BIND P_STM              = CPLIT ('STM');
BIND P_STOPS            = CPLIT ('STOPS');

%IF DSRPLUS %THEN
BIND P_STTB             = CPLIT ('STTB');
BIND P_STXT             = CPLIT ('STXT');
%FI

BIND P_STTM             = CPLIT ('STTM');
BIND P_STYLE            = CPLIT ('STYLE');
BIND P_SUBINDEX         = CPLIT ('SUBINDEX');
BIND P_SUBPAGE          = CPLIT ('SUBPAGE');
BIND P_SUBSTITUTE       = CPLIT ('SUBSTITUTE');
BIND P_SUBTITLE         = CPLIT ('SUBTITLE');
BIND P_SUBTTL           = CPLIT ('SUBTTL');
BIND P_T                = CPLIT ('T');
BIND P_TAB              = CPLIT ('TAB');

%IF DSRPLUS %THEN
BIND P_TABLE            = CPLIT ('TABLE');
%FI

BIND P_TEST             = CPLIT ('TEST');

%IF DSRPLUS %THEN
BIND P_TEXTSTRING       = CPLIT ('TEXTSTRING');
%FI

BIND P_TIME             = CPLIT ('TIME');
BIND P_TITLE            = CPLIT ('TITLE');

%IF DSRPLUS %THEN
BIND P_TN               = CPLIT ('TN');
```

```
MACR

!****
!Eve

!****
```

```
%FI

BIND P_TOC              = CPLIT ('TOC');

%IF DSRPLUS %THEN
BIND P_TOPNOTE          = CPLIT ('TOPNOTE');
%FI

BIND P_TP               = CPLIT ('TP');
BIND P_TS               = CPLIT ('TS');
BIND P_UC               = CPLIT ('UC');
BIND P_UNDERLINE        = CPLIT ('UNDERLINE');
BIND P_UNDERLINING      = CPLIT ('UNDERLINING');
BIND P_UPPER            = CPLIT ('UPPER');
BIND P_UPPERCASE        = CPLIT ('UPPERCASE');
BIND P_VARIABLE         = CPLIT ('VARIABLE');
BIND P_VR               = CPLIT ('VR');
BIND P_X                = CPLIT ('X');
BIND P_XLOWER           = CPLIT ('XLOWER');

%IF DSRPLUS %THEN
BIND P_XPLUS            = CPLIT ('XPLUS');
%FI

BIND P_XUPPER           = CPLIT ('XUPPER');
BIND P_Y                = CPLIT ('Y');
BIND P_YEAR             = CPLIT ('YEAR');

%IF DSRPLUS %THEN
BIND P_YPLUS            = CPLIT ('YPLUS');
%FI

! End of RUNTAB.REQ
```

CONVRT
REQ

FRMSTK
REQ

GETQSC
REQ

NDXCLI
REQ

NDXRTY
REQ

ECC
REQ

KWITEM
REQ

PHDEF
REQ

RUNTAB
REQ

FLIPRECS
REQ

FNCT
REQ

GNCC
REQ

IFSTK
REQ

LSTOPS
REQ

OUTOPT
REQ

DIGIT
REQ

FSPACK
REQ

NDXXPL
REQ

MAXIMA
REQ

POOL
REQ

RUNHAN
REQ

DMDEFS
REQ

FFDEFS
REQ

GSLUCC
REQ

INDEX
REQ

NDXLIN
REQ

PAGEN
REQ

LETTER
REQ

NMLST
REQ

FOOFIL
REQ

GCA
REQ

MSG
REQ

RNODEF
REQ

DSRLIB
REQ

FLGT
REQ

HCT
REQ

IRAC
REQ

NDXPOL
REQ

PASS
REQ

LODEFS
REQ

NUMPRM
REQ

FOOREC
REQ

MSGTXT
REQ

NBITS
REQ

KC
REQ

PDT
REQ

RNOMAC
REQ

FLIPCHARS
REQ

HLC
REQ

LSTBTS
REQ

OPDEV
REQ

BARS
LIS

SETCAS
REQ

VR
REQ

ALINE
LIS

CARAGE
LIS

SAVSTK
REQ

AREC
LIS

TOCRTY
REQ

XTNTAB
REQ

CAPTION
LIS

CLH
LIS

SCA
REQ

BOTPAG
LIS

TPROB
REQ

CNTVMSREQ
R32

TSF
REQ

NDXVMSREQ
R32

SAVE
REQ

CENTXT
LIS